



# ADMISSION/DISCHARGE FORM FOR INFANTS BORN IN 2024

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

NETWORK ID:

HOSPITAL ID:

Do not use this form if this infant qualifies as a delivery room death (DRD). If this infant is a DRD please fill out the DRD form.

- The “**Identification and Demographics**”, “**Maternal History**” and “**Delivery Room and First Hour After Birth**” sections **must** be filled out when an eligible infant is admitted to your NICU.
- The “**Post-Delivery Diagnoses and Interventions-Respiratory**” (respiratory, infections, other diagnoses, surgeries, and surgical complications, neurological, and congenital malformations) and the “**Initial Disposition**” sections must be filled out when the baby is discharged for the first time from your center.
- The “**Transport Information**” section only needs to be filed out if the infant was transported after its initial stay.

### SELECTION CRITERIA

To be eligible, you MUST answer YES to at least one of the possible criteria (A-C)

- A. **≤ 1500 grams**  Yes (If Yes go to item #1)  No (If No go to Part B)
- B. **GA ≤ 31 6/7 weeks**  Yes (If Yes go to item #1)  No (If No go to Part C)
- C. **If > 1500 grams**  Yes (If Yes select criteria below)  No

MUST check at least one to be eligible.

**NOTE: Any infant that was previously discharged home and re-admitted to any location in our hospital (On or before Day 28) for Total Serum Bilirubin=>25mg/dl (427 Micromols/Liter) and/or exchange transfusion is CPQCC NICU eligible.**

- |   |   |
|---|---|
| <input type="checkbox"/> Death  | <input type="checkbox"/> Acute Transport-In             |
| <input type="checkbox"/> Major Surgery with general anesthesia or equivalent      | <input type="checkbox"/> Acute Transport-Out            |
| <input type="checkbox"/> Intubated Vent > 4hrs                                    | <input type="checkbox"/> Early Bacterial Sepsis         |
| <input type="checkbox"/> Non-Intubated Vent > 4hrs                                | <input type="checkbox"/> Hyperbilirubinemia             |
| <input type="checkbox"/> Suspected Encephalopathy or Suspected Perinatal Asphyxia | <input type="checkbox"/> Active Therapeutic Hypothermia |
|   | <input type="checkbox"/> Seizures                       |

### IDENTIFICATION AND DEMOGRAPHICS

- Birth Weight:** \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ grams
- Head Circumference at Birth:** \_\_\_\_ \_\_\_\_ . \_\_\_\_ cm  Unknown  Not Done
- Best Estimate of Gestational Age:** \_\_\_\_ \_\_\_\_ a) Weeks (15-46) \_\_\_\_ \_\_\_\_ b) Days (0-6)  Unknown
- a. **Birth Date:** (MM-DD) \_\_\_\_ \_\_\_\_ - \_\_\_\_ \_\_\_\_ -2024  
b. **Birth Time:** (00:00) \_\_\_\_ \_\_\_\_ : \_\_\_\_ \_\_\_\_ (use 24-hour clock)
- Infant Sex:**  Male  Female  Undetermined  Unknown
- Died in Delivery Room:**  Yes (If Yes, Use DRD Form)  No
- a. **Location of Birth:**  Inborn  Outborn  Born at Co-Located Hospital (Satellite NICUs Only)  
**NOTE: For infants who were previously home, always check Outborn, even if the infant was born at your hospital or at a Co-Located Hospital (for Satellite NICUs only.)**  
b. **Age in Days at Admission to your NICU:** \_\_\_\_ \_\_\_\_ Date of Birth is Day 1  
c. **Hospital of Birth for Outborn Infants:** \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ (Enter HCAI Code (Formerly OSHPD)  Unknown  NA  
d. **Reason for Transport – In (If Location of Birth is “Outborn”, select only one response indicating the primary reason for transport in):**  

<input type="checkbox"/> ECMO	<input type="checkbox"/> Growth/Discharge Planning	<input type="checkbox"/> Other
<input type="checkbox"/> Hypothermic Therapy	<input type="checkbox"/> Chronic Care	<input type="checkbox"/> Not Applicable
<input type="checkbox"/> Surgery	<input type="checkbox"/> Insurance	<input type="checkbox"/> Unknown
<input type="checkbox"/> Other Medical/Diagnostic Services		

- Hospital Admission History** (answer parts a. and b. only for Outborn infants)  
**NOTE: The Hyperbilirubinemia items 53 to 55 are activated ONLY if the infant was home after birth (item 8a). A home birth does NOT qualify for checking “Was Previously Discharged Home form a Hospital after Birth.”**

#### a. Discharged Home after Birth:

- Never Discharged Home from a Hospital after Birth  Was Previously Discharged Home after Birth  NA

#### b. NICU Re-Admission Status after PDH:





# ADMISSION/DISCHARGE FORM FOR INFANTS BORN IN 2024

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

NETWORK ID:

HOSPITAL ID:

## DELIVERY ROOM AND FIRST HOUR AFTER BIRTH

### 19. Delayed Cord Clamping

**NOTE:** For outborn babies it is acceptable that these variables are 'unknown', if this information is unavailable)

- a. Was delayed umbilical cord clamping performed?  Yes  No  Unknown
- b. How long was umbilical cord clamping delayed?  30-60 secs  61-120 secs  >120 secs  NA  Unknown
- c. If DCC was not done, reason why (optional)?  Maternal Bleeding  Neonatal Causes  Other (specify) \_\_\_\_\_
- d. Was umbilical cord milking performed?  Yes  No  Unknown
- e. Did breathing begin before umbilical cord clamping?  Yes  No  Unknown

20. Apgar Scores:   1min  Unknown  Not Done   5min  Unknown  Not Done   10min  Unknown  Not Done

### 21. Perinatal Asphyxia

**NOTE:** that items 21a – 21e apply only to infants >1,500 grams AND items 21b – 21e apply if infant meets at least one of the following criteria:

- 1. Admitted with suspected encephalopathy or suspected perinatal asphyxia [Yes to item 21a]
- 2. 5-min Apgar  $\leq$  3 or 10-min Apgar  $\leq$  4 [item 20]
- 3. Received active hypothermia [Selective or Whole Body to item 24d]
- 4. Diagnosis with HIE [Mild/Moderate or Severe to item 51]

- a. Suspected Encephalopathy of Suspected Perinatal Asphyxia Low 5-min and/or 10-min Apgar Score?  Yes  No  Unknown  NA
- b. In there an umbilical cord blood gas or a baby blood gas in the first hour of life available?  Yes  No  Unknown  NA
- c. Source of blood gas:  Cord Umbilical Arterial (UA)  Cord Umbilical Venous (UV)  Arterial Baby Gas  Venous Baby Gas  Capillary Baby Gas  Unknown  NA
- d. pH within one hour of life: \_\_\_\_ . \_\_\_\_  Unknown  NA
- e. Base deficit: \_\_\_\_ . \_\_\_\_  Unknown  NA  Too Low to Register

### 22. Delivery Room Resuscitation

- a. Supplemental Oxygen:  Yes  No  Unknown
- b. Nasal CPAP:  Yes  No  Unknown
- c. PPV via Bag/Mask:  Yes  No  Unknown
- d. ETT Ventilation  Yes  No  Unknown
- e. Epinephrine:  Yes  No  Unknown
- f. Cardiac Compressions:  Yes  No  Unknown
- g. Noninvasive Ventilation  Yes  No  Unknown
- h. Supraglottic Airway Device  Yes  No  Unknown

### 23. Surfactant Treatment

- a. Was Surfactant given in the Delivery Room?  Yes  No  Unknown
- b. Was Surfactant given at any time?  Yes  No  Unknown
- c. Enter age at first dose: \_\_\_\_ hours \_\_\_\_ mins  Unknown  NA  
or Date/time of First Surfactant Dose (MM-DD-YYYY HH:MM)  
\_\_\_\_ - \_\_\_\_ - \_\_\_\_ : \_\_\_\_

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

NETWORK ID:

HOSPITAL ID:

## POST-DELIVERY DIAGNOSES AND INTERVENTIONS - RESPIRATORY

**24. Temperature and Cooling for HIE**

- a. Was the temperature measured within one hour of the NICU admission?  Yes  No  Unknown
- b. Enter first temperature either in Centigrade or Fahrenheit Degrees: \_\_\_\_\_ °C \_\_\_\_\_ °F  Too Low  Unknown  
**NOTE: The temperature has to be entered even if the infant continued cooling in your NICU or started cooling in your NICU prior to the first temperature.**
- c. Infant cooling status during stay at your NICU  No Cooling  Cooling Started  Cooling Continued  Unknown
- d. Last Cooling Method Used for HIE  Passive  Whole Body  Other  Unknown

**25. Respiratory Support after Initial Resuscitation**

- a. Supplemental Oxygen  Yes  No  Unknown
- b. Intubated Conventional Ventilation  Yes  No  Unknown
- c. Intubated HIFI Ventilation  Yes  No  Unknown
- d. Nasal Cannula  Yes, flow rate >2l/min  Yes, flow rate ≤ 2l/min  Yes, flow rate unknown  No  Unknown
- e. Noninvasive Ventilation (or any other form of non-intubated assisted ventilation)  ≤4 hours  >4 hours  No  Unknown
- f. Nasal CPAP  Yes (Always if 25e. is "Yes")  No  Unknown

**27. Use of Intubated Assisted Ventilation**

- a. Length of Intubated Assisted Ventilation  ≤ 4 hours  > 4 hours  No  Unknown
- b. If Intubated Ventilation > 4 hours, specify ventilation time in days: \_\_\_\_\_ days  Unknown
- c. If > 1 Episode of Intubated Assisted Ventilation, Total Duration of Intubated Assisted Ventilation (optional) \_\_\_\_\_

**28. Infant Death within 12 Hours of NICU Admission**  Yes  No  Unknown

**29. Respiratory Distress Syndrome**  Yes  No  Unknown

**30. Pneumothorax**  Yes, here  Yes, elsewhere  Yes, here and elsewhere  No  Unknown

**31. Meconium Aspiration Syndrome**  Yes  No  Unknown

**32. Caffeine for any Reason**  Yes  No  Unknown

**33. Intramuscular Vitamin A for any Reason**  Yes  No  Unknown

**34. Inhaled Nitric Oxide > 4 hours**  Yes, here  Yes, elsewhere  Yes, here and elsewhere  No  Unknown

**35. ECMO**  Yes, here  Yes, elsewhere  Yes, here and elsewhere  No  Unknown

**36. Postnatal Steroids**

- a. Were postnatal steroids used?  Yes  No  Unknown
- b. If postnatal steroids were used, select all reasons that applied
- Chronic Lung Disease:  Yes, here  Yes, elsewhere  Yes, here and elsewhere  No  Unknown
- Extubation:  Yes  No  Unknown
- Hypotension/Blood Pressure:  Yes  No  Unknown
- Other Reason:  Yes  No  Unknown

**37. Supplemental Oxygen on Day 28**  Continuous  Intermittent  None  Unknown  NA

**38. Respiratory Support at 36 weeks**

- a. Supplemental Oxygen:  Continuous  Intermittent  None  Unknown  NA
- b. Intubated Conventional Ventilation  Yes  No  Unknown  NA
- c. Intubated High Frequency Ventilation  Yes  No  Unknown  NA
- d. Nasal Cannula  Yes, flow rate >2l/min  Yes, flow rate ≤ 2l/min  Yes, flow rate unknown  No  Unknown
- e. Noninvasive Ventilation  Yes  No  Unknown  NA
- f. Nasal CPAP  Yes  No  Unknown  NA

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

NETWORK ID:

HOSPITAL ID:

### POST-DELIVERY DIAGNOSES AND INTERVENTIONS – RESPIRATORY (continue)

**39. Respiratory Monitoring and Support Devices at Discharge**

**NOTE:** Responses to this item will be ignored if you do not answer item 57, Initial disposition from your Center!

If the infant had a tracheostomy in place at discharge, make sure to enter the surgery code S101 as a major surgery under item 47b.

- a. Apnea/Cardio-Respiratory Monitor  Yes  No  Unknown
- b. Supplemental Oxygen:  Yes  No  Unknown
- c. Intubated Conventional Ventilation  Yes  No  Unknown
- d. Intubated High Frequency Ventilation  Yes  No  Unknown
- e. Nasal Cannula  Yes, flow rate >2l/min  Yes, flow rate ≤ 2l/min  Yes, flow rate unknown  
 No  Unknown
- f. Noninvasive Ventilation  Yes  No  Unknown
- g. Nasal CPAP  Yes  No  Unknown

### POST-DELIVERY DIAGNOSES AND INTERVENTIONS - INFECTIONS

**40. Early Bacterial Sepsis and/or Meningitis on or before Day 3**  Yes  No  Unknown

**NOTE:** Please refer to Appendix B for the Bacterial Infection Pathogen codes

If Yes, specify up to 3 pathogen codes: 1. \_\_\_\_\_ 2. \_\_\_\_\_ 3. \_\_\_\_\_

Enter a description for pathogen code 8888 (other): \_\_\_\_\_

**41. Late Infection after Day 3:**

**NOTE:** Please refer to Appendix B for the Bacterial Infection Pathogen codes

- a. Late Bacterial Sepsis and/or Meningitis  Yes, here  Yes, here and elsewhere  NA  
 Yes, elsewhere  No  Unknown  
If Yes, select up to 3 pathogen codes: 1. \_\_\_\_\_ 2. \_\_\_\_\_ 3. \_\_\_\_\_  
Enter a description for pathogen code 8888 (other): \_\_\_\_\_
- b. Coagulase Negative Staphylococci  Yes, here  Yes, here and elsewhere  NA  
 Yes, elsewhere  No  Unknown
- c. Fungal  Yes, here  Yes, here and elsewhere  NA  
 Yes, elsewhere  No  Unknown

**42. Congenital Infection**  Yes  No  Unknown

If Yes, select up to 3 pathogens: 1. \_\_\_\_\_ 2. \_\_\_\_\_ 3. \_\_\_\_\_

Enter a description for pathogen code 8888 (other): \_\_\_\_\_

### POST-DELIVERY DIAGNOSES AND INTERVENTIONS – OTHER DIAGNOSIS / SURGERIES

- 43. a. Patent Ductus Arteriosus  PDA meeting revised 2011 VON definition  No  
 PDA Diagnosis based on echo and/or clinical evidence or was treated for PDA, but not meeting all 2011 VON criteria.  Unknown
- b. Indomethacin for any Reason  Yes  No  Unknown
- c. Ibuprofen for Prevention and Treatment of PDA  Yes  No  Unknown
- d. Acetaminophen (Paracetamol) for Prevention and Treatment for PDA  Yes  No  Unknown
- e. Infant received prostaglandin medication to maintain ductal patency  Yes (Applicable only if PDA is diagnosed)  No  Unknown  
 NA (If infant is not diagnosed with PDA)
- f. PDA Ligation or PDA Closure by Catheterization  Yes  NA (If infant is not diagnosed with PDA)  
 No  Unknown
- g. Was PDA Surgery done in conjunction with Repair or Palliation of Congenital Heart Disease (S504)  Yes (Applicable only if 43f. is Yes)  No  Unknown  
 NA If no PDA Ligation or Closure by Catheterization



# ADMISSION/DISCHARGE FORM FOR INFANTS BORN IN 2024

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

NETWORK ID:

HOSPITAL ID:

- 44. **a. Probiotics**  Yes  No  Unknown
- b. Necrotizing Enterocolitis**  Yes, here  Yes, elsewhere  Yes, here and elsewhere  No  Unknown
- c. NEC Surgery**  Yes, here  Yes, elsewhere  Yes, here and elsewhere  No  Unknown  NA

- 45. **Focal Intestinal Perforation**
  - a. Surgically Confirmed or Clinically Diagnosed Focal Intestinal Perforation:**
    - Yes, here  Yes, elsewhere  Yes, here and elsewhere  No  Unknown
  - b. Surgically Confirmed or Clinically Diagnosed**
    - Surgically Confirmed  Clinically Diagnosed  NA  Unknown



# ADMISSION/DISCHARGE FORM FOR INFANTS BORN IN 2024

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

NETWORK ID:

HOSPITAL ID:

## POST-DELIVERY DIAGNOSES AND INTERVENTIONS – OTHER DIAGNOSIS / SURGERIES (continue)

46. Retinopathy of Prematurity **NOTE: This section is only applicable to infants  $\leq$ 1,500 grams or  $\leq$  31 completed weeks GA unless your NICU participates in the VON expanded data collection.**

- a. Was a retinal exam performed?  Yes  No  Unknown  NA
- b. If retinal exam was performed, enter worst stage of ROP  0, No ROP  1  2  3  4  5  Unknown  NA
- c. Treatment of ROP with Anti-VEGF Drug  Yes  No  Unknown  NA
- d. ROP Surgery (for infants with ROP stage 1 or higher)  Yes, here  Yes, here and elsewhere  Unknown  
 Yes, elsewhere  No  NA

47. a. Major Surgery (Not NEC, ROP, PDA)  Yes  No  Unknown

b. If Yes, Enter up to 10 surgery codes:

Specify the location of the surgery, and – for surgeries that were performed at your hospital only (never elsewhere) – whether or not a surgical site infection (SSI) occurred at your hospital.

- |                |           |                               |                                    |                               |                                   |
|----------------|-----------|-------------------------------|------------------------------------|-------------------------------|-----------------------------------|
| Code 1. _____  | Location: | <input type="checkbox"/> Here | <input type="checkbox"/> Elsewhere | <input type="checkbox"/> Both | <input type="checkbox"/> SSI Here |
| Code 2. _____  | Location: | <input type="checkbox"/> Here | <input type="checkbox"/> Elsewhere | <input type="checkbox"/> Both | <input type="checkbox"/> SSI Here |
| Code 3. _____  | Location: | <input type="checkbox"/> Here | <input type="checkbox"/> Elsewhere | <input type="checkbox"/> Both | <input type="checkbox"/> SSI Here |
| Code 4. _____  | Location: | <input type="checkbox"/> Here | <input type="checkbox"/> Elsewhere | <input type="checkbox"/> Both | <input type="checkbox"/> SSI Here |
| Code 5. _____  | Location: | <input type="checkbox"/> Here | <input type="checkbox"/> Elsewhere | <input type="checkbox"/> Both | <input type="checkbox"/> SSI Here |
| Code 6. _____  | Location: | <input type="checkbox"/> Here | <input type="checkbox"/> Elsewhere | <input type="checkbox"/> Both | <input type="checkbox"/> SSI Here |
| Code 7. _____  | Location: | <input type="checkbox"/> Here | <input type="checkbox"/> Elsewhere | <input type="checkbox"/> Both | <input type="checkbox"/> SSI Here |
| Code 8. _____  | Location: | <input type="checkbox"/> Here | <input type="checkbox"/> Elsewhere | <input type="checkbox"/> Both | <input type="checkbox"/> SSI Here |
| Code 9. _____  | Location: | <input type="checkbox"/> Here | <input type="checkbox"/> Elsewhere | <input type="checkbox"/> Both | <input type="checkbox"/> SSI Here |
| Code 10. _____ | Location: | <input type="checkbox"/> Here | <input type="checkbox"/> Elsewhere | <input type="checkbox"/> Both | <input type="checkbox"/> SSI Here |

**NOTE: If infant had NEC surgery, one of the following surgeries should be listed: S302, S303, S308, S309 or S333**

**NOTE: If infant had a PDA Ligation or a PDA Closure by Catheterization, one of the following surgeries should be listed: S515, S516 or S605**

Provide description for surgery codes S100, S200, S300, S500, S600, S700, S800, S900 AND S1000:



# ADMISSION/DISCHARGE FORM FOR INFANTS BORN IN 2024

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

NETWORK ID:

HOSPITAL ID:

## POST-DELIVERY DIAGNOSES AND INTERVENTIONS – OTHER DIAGNOSIS / SURGERIES

### 48. Intracranial Hemorrhage

- a. Neural Imaging done on or before Day 28  Yes  No  Unknown
  - b. If neural imaging was done on or before Day 28, enter worst grade of peri-intraventricular hemorrhage:  0, No Hemorrhage  1  2  3  4  Unknown  NA
  - c. If peri-intraventricular hemorrhage was present, where was it first diagnosed?  Here  Elsewhere  Unknown  NA
  - d. If peri-intraventricular hemorrhage was present, was shunt placed for bleed?  Yes  No  Unknown
  - e. If neural imaging was done on or before Day 28, was any other intracranial hemorrhage found?  Yes  No  Unknown
- Describe Other: \_\_\_\_\_

### 49. Cystic Periventricular Leukomalacia (CPVL) & Cerebellar Hemorrhage

- a. Was a neural image done?  Yes  No  Unknown
- b. If neural image done, evidence of Cystic PVL?  Yes  No  Unknown
- c. Cerebellar Hemorrhage  Yes  No  Unknown

### 50. Seizures, EEG or Clinical Yes No Unknown

### 51. Hypoxic-Ischemic Encephalopathy Mild Moderate Severe None Unknown NA

## CONGENITAL MALFORMATIONS / HYPERBILIRUBINEMIA

### 52. a. Congenital Anomalies Yes No Unknown

b. If Yes, enter up to 5 congenital anomaly codes:

Code 1. \_\_\_\_\_ Code 2. \_\_\_\_\_ Code 3. \_\_\_\_\_ Code 4. \_\_\_\_\_ Code 5. \_\_\_\_\_

Enter a congenital anomaly description for codes 100, 150, 200, 300, 400, 504, 601, 605, 800 and 900:

### 53. NOTE: The following items 53-55 pertain to ANY infant that was previously discharged home and re-admitted before day 28. < 25 mg/dl ≥ 30 mg/dl 25 - < 30 mg/dl Unknown/Not Done NA

- a. Maximum Level of Bilirubin (mg/dl) found On THIS Re Admission
- b. Exchange Transfusion on THIS Re-Admission  Yes  No  Unknown
- c. Hospital that Discharged Infant Home Prior to THIS Admission: \_\_\_\_\_

### 54. Primary Caregiver's Preferred Language: Please select the primary caregiver's preferred language.

- Arabic  Hmong/Miao  Spanish
- Armenian  Japanese  Tagalog
- Cambodian/Khmer  Korean  Thai
- Cantonese  Mandarin  Vietnamese
- English  Mixteco  Sign Language
- Farsi/Persian  Punjabi  Other, Describe: \_\_\_\_\_
- Hindi  Russian  Unknown

### 55. Did the primary caregiver require interpreter services (either in-person or remote) during this hospitalization? Yes No Not Applicable (If primary language is English) Unknown





# ADMISSION/DISCHARGE FORM FOR INFANTS BORN IN 2024

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

NETWORK ID:

HOSPITAL ID:

### INITIAL DISPOSITION

56. Enteral Feeding at Discharge  None  Human Milk with Fortifier or Formula  Unknown  
 Human Milk Only  Formula Only

57. Initial Disposition from your Center  Home  Transported  Unknown  
 Died  Still Hospitalized as of 1st Birthday

58. Weight at Initial Disposition \_\_\_\_\_ grams  Unknown

59. Head Circumference at Initial Disposition \_\_\_\_\_ . \_\_\_\_\_ cm  Unknown  Not Done

60. Initial Discharge Date: (MM-DD-YYYY) \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_  Unknown

### POST-TRANSPORT STATUS

**NOTE: If infant was transported to another hospital, complete items 61 – 63.**

61. Reason for Transport  ECMO  Growth/Discharge Planning  Unknown  
 Hypothermic Therapy  Chronic Care  Other Reason  
 Surgery  Insurance  Not Applicable  
 Other Medical/Diagnostic Services

62. Hospital the infant was transported to: \_\_\_\_\_

63. Post-Transport Disposition  Home (skip to item 67)  Re-Admitted to your hospital (continue with item 64)  
 Transport again to another hospital (skip to item 66)  Still Hospitalized as of 1st Birthday (skip to item 67)  
 Died (skip to item 67)  Unknown

**NOTE: Complete items 64 – 65 for infants who were initially transported from or center and then transported back to your center without every going home. For these infants, it is necessary to update items 23, 25 – 27, and 29 – 56 with information that should be obtained from the episode of care at the hospital the infant was transported to and the care upon re-admission at your center. The intention is to capture the cumulative interventions received by the infant while the infant was in your NICU before and after transport and while the infant was at the transport-out NICU.**

**NOTE: That these items do not need to be tracked for subsequent transports and re-admissions.**

64. Weight after Re-Admission \_\_\_\_\_ grams  Unknown

65. Disposition after Re-Admission  Home (skip to item 67)  Still Hospitalized as of 1st Birthday (skip to item 67)  
 Transport again to another hospital  Unknown  
 Died (skip to item 67)

**NOTE: Complete item 66 for infants who were initially transported from your center and then a) either transported again to another hospital, or b) re-admitted to your center and then transported from your hospital to another hospital.**

66. Ultimate Disposition  Home  Died  Still Hospitalized as of 1st Birthday  Unknown

67. Final Discharged Date: (MM-DD-YYYY) \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_