

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

 Do Not man of tax and form to the effect bata centers this form to the internal account.				
NETWORK ID: HOSPITAL ID: HOSPITAL ID:				

Do not use this form if this infant qualifies as a delivery room death (DRD). If this infant is a DRD please fill out the DRD form.

- The "Identification and Demographics", "Maternal History" and "Delivery Room and First Hour After Birth" sections must be filled out when an eligible infant is admitted to your NICU.
- The "Post-Delivery Diagnoses and Interventions-Respiratory" (respiratory, infections, other diagnoses, surgeries, and surgical
 complications, neurological, and congenital malformations) and the "Initial Disposition" sections must be filled out when the baby is
 discharged for the first time from your center.
- The "Transport Information" section only needs to be filed out if the infant was transported after its initial stay.

		SELECTION CRITER	IA				
To be eligible, you MUST answer YES to at least one of the possible criteria (A-C)							
A.	≤ 1500 grams	Yes (If Yes go to item #1)	☐ No (If No go to Part B)				
В.	GA ≤ 31 6/7 weeks	Yes (If Yes go to item #1)	No (If No go to Part C)				
C.	If > 1500 grams	Yes (If Yes select criteria below)	□ No				
	MUST check at least one to be eligible	_					
	NOTE: Any infant that was previously of	lischarged home and re-admitted to a	ny location in our hospital (On or before	Day 28) for Total			
	Serum Bilirubin=>25mg/dl (427 Micron	nols/Liter) and/or exchange transfusion					
	Death		A seek Transport-In				
	☐ Major Surgery with general as ☐ Intubated Vent > 4hrs	nestnesia or equivalent	☐ Acute Transport-Out☐ Early Bacterial Sepsis				
	Non-Intubated Vent > 4hrs		Hyperbilirubinemia				
	Suspected Encephalopathy o	r Suspected Perinatal Asphyxia	Active Therapeutic Hypothermia				
	_ 1 1 7	1 1	Seizures				
		INDENTIFICATION AND DEM	OGRAPHICS				
1.	Birth Weight: grams						
2.	Head Circumference at Birth:	cm	Not Done				
3.	Best Estimate of Gestational Age:	a) Weeks (15-46) b) Da	ys (0-6) Unknown				
	a. Birth Date: (MM-DD)						
4.							
	b. Birth Time: (00:00):::	_ (use 24-hour clock)					
5.	Infant Sex:	Undetermined Unknown					
6.	Died in Delivery Room: Yes (If Yes	s, Use DRD Form) No					
7.	a. Location of Birth: Inborn	Outborn Born at Co-Lo	ocated Hospital (Satellite NICUs Only)				
	NOTE: For infants who were previously home, always check Outborn, even if the infant was born at your hospital or at a Co-Located Hospital (for Satellite NICUs only)						
	Hospital (for Satellite NICUs only.) b. Age in Days at Admission to your NICU: Date of Birth is Day 1						
		•	CAI Code (Formerly OSHPD) Unkno	own 🗌 NA			
			one response indicating the primary rea				
	in):	ion of Birth is "Outborn", select only	one response mareuring the primary rea	son for transport			
	ECMO	Growth/Discharge Planning	ther				
	Hypothermic Therapy		ot Applicable				
	Surgery		nknown				
	Other Medical/Diagnostic Services						
8.	Hospital Admission History (answer pa	arts a. and b. only for Outborn infants)					
		·	t was home after birth (item 8a). A home	birth does NOT			
	qualify for checking "Was Previously Di						
	a. Discharged Home after Birth:						
	☐ Never Discharged Home from a H	Iospital after Birth Was Previou	sly Discharged Home after Birth	□NA			
	b. NICU Re-Admission Status after Pl	DH:					
	First Admission to this NICU	Readmission	to this NICU	□NA			



NETWORK ID.

ADMISSION/DISCHARGE FORM FOR INFANTS BORN IN 2025

	NEIWORK ID: COSPITALID: COSPITALID
	MATERNAL HISTORY
9.	a. Maternal Date of Birth: (MM/DD/YY)/ b. Maternal Age: Dunknown Unknown
10.	Maternal Race/Ethnicity: (select all that apply)
	☐ American Indian/Native American ☐ Asian ☐ Black ☐ Hispanic or Latino ☐ Middle Eastern/North African ☐ Native Hawaiian/Pacific Islander ☐ White ☐ Other ☐ Declined ☐ Unknown
11.	Prenatal Care:
12.	Group B Strep Positive: Yes No Not Done Unknown
13.	a. Is there documentation that Antenatal Steroids therapy was
	b. Is there documentation in the medical record of reason for NOT Yes No Unknown initiating antenatal steroid therapy before delivery? (This item is only applicable and optional for inborn infants who are <34 weeks GA)
	c. If Yes, what was the documented reason for NOT administrating antenatal steroids? (This item is only applicable and optional for inborn infants who are <34 weeks GA) Chorioamnionitis Other active infection Immediate delivery Fetus has anomalies incompatible with life Unknown
14.	Spontaneous Labor
15.	a. Multiple Gestation
	b. If Yes, to multiple gestation enter number of infants delivered including stillborn Unknown NA
	c. Birth Order: Unknown NA
16.	Delivery Mode (check only one) ☐ Spontaneous Vaginal ☐ Operative Vaginal ☐ Cesarean ☐ Unknown
17.	Antenatal Conditions (select ALL conditions occurring in this pregnancy)
	a. Maternal Antenatal Conditions None Other Infection Antenatal Magnesium Sulfate Diabetes Other (describe): Chorioamnionitis Prev. Cesarean Unknown
	b. Fetal Antenatal Conditions None IUGR Non-Reassuring Fetal Status Unknown Other Fetal (describe): Unknown
	c. Obstetrical Conditions None Preterm (<37 wks) Labor Preterm (<37 wks) Premature ROM before onset of labor Term Premature ROM (≥37 wks) before onset of labor, not premature gestation) Prolonged ROM (>18hrs) Malpresentation/Breech Bleeding/Abruption/Previa Other Obstetrical (describe):
18.	Indications for Cesarean Section (select at least one) Not Applicable (No C/S) Blective Placental Problems Other (describe): Malpresentation/Breech Dystocia/Failed to Progress Hypertension Other (describe): Unknown Unknown



	NETWORK ID:						
	DELIVERY ROOM AND FIRST HOUR AFTER BIRTH						
19.	Delayed Cord Clamping NOTE: For outborn babies it is acceptable that these variables are 'unknown', if this information is unavailable)						
	a. Was delayed umbilical cord clamping performed?						
	b. How long was umbilical cord clamping delayed? 30-60 secs						
	c. If DCC was not done, reason why (optional)?						
	d. Was umbilical cord milking performed?						
	e. Did breathing begin before umbilical cord clamping?						
20.	Apgar Scores: Unknown Unknown Unknown Unknown Unknown Inom Inom Inom Inom Inom Inom Inom Ino						
21.	Perinatal Asphyxia						
	NOTE: that items 21a – 21e apply only to infants >1,500 grams AND items 21b – 21e apply if infant meets at least one of the following criteria:						
	1. Admitted with suspected encephalopathy or suspected perinatal asphyxia [Yes to item 21a]						
	2. 5-min Apgar ≤ 3 or 10-min Apgar ≤ 4 [item 20]						
	3. Received active hypothermia [Selective or Whole Body to item 24d]						
	4. Diagnosis with HIE [Mild/Moderate or Severe to item 51] a. Suspected Encephalopathy of Suspected Perinatal Asphyxia Low 5-min and/or 10-min Yes Unknown						
	Apgar Score?						
	b. In there an umbilical cord blood gas or a baby blood gas in the first hour of life available? Yes No NA						
	c. Source of blood gas: Cord Umbilical Arterial (UA) Cord Umbilical Venus (UV) Capillary Baby Gas NA Arterial Baby Gas						
	d. pH within one hour of life: Unknown NA						
	e. Base deficit: Unknown NA Too Low to Register						
22.	Delivery Room Resuscitation						
	a. Supplemental Oxygen: Yes No Unknown e. Epinephrine: Yes No Unknown						
	b. Nasal CPAP:						
	c. PPV via Bag/Mask:						
	d. ETT Ventilation						
23.	Surfactant Treatment						
	a. Was Surfactant given in the Delivery Room?						
	b. Was Surfactant given at any time?						
	c. Enter age at first dose: hours mins Unknown NA or Date/time of First Surfactant Dose (MM-DD-YYYY HH:MM)						
	or Date, time of Pilst Surfactant Dose (MM-DD-1111 Till.MM)						



	NETWORK ID:			HOSPITAL ID:			
	POST-DELIVERY D	IAGNOS	ES AND INTE	RVENTIONS - RES	SPIRATORY		
24.	Temperature and Cooling for HIE						
	a. Was the temperature measured within one hour of	the NICU	admission?	☐ Yes	□ No	Unknown	
	b. Enter first temperature either in Centigrade or Fahrenheit Degrees: NOTE: The temperature has to be entered even if the infant continued cooling in your NICU or started cooling in your NICU prior to the first temperature. Too Low Unknown						_
	c. Infant cooling status during stay at your NICU	□ No	o Cooling 🔲	Cooling Started 🔲 (Cooling Continu	ied Unknown	
	d. Last Cooling Method Used for HIE Passi	ive W	Thole Body	Other Unknow	'n		
25.	Respiratory Support after Initial Resuscitation						
	a. Supplemental Oxygen	Yes	☐ No	Unknown			
		Yes	☐ No	Unknown			
		Yes	☐ No	Unknown			
	_] Yes, flow] No	rate >2l/min	☐ Yes, flow rate	≤ 21/min	Yes, flow rate unknown	n
	e. Noninvasive Ventilation (or any other form of non	-intubated	assisted ventil	ation) $\square \leq 4$	hours	>4 hours No	Unknown
	f. Nasal CPAP	es (Always i	f 25e. is "Yes")	□ No	Unknown		
27.	Use of Intubated Assisted Ventilation						
	a. Length of Intubated Assisted Ventilation		iours	hours No	Unknow:	n	
	h If 1st anice do of introduced Assisted Ventilation > A	hours one	ton dynation of 1	st anicada in dava.	□□□ days	S Unknown	
	b. If 1st episode of intubated Assisted Ventilation > 4			•			
20	c. If > 1 Episode of Intubated Assisted Ventilation, e Infant Death within 12 Hours of NICU Admission	enter total o		<u> </u>		SB and BB)	
28.				<u> </u>			
29. 30.	Respiratory Distress Syndrome Pneumothorax	Yes, elsewher		Unknow ere and elsewhere	□ No	Unknown	
31.		Yes	□ No	Unknown	□ 100	Clikilowii	
	<u> </u>			<u> </u>			
32.	·	Yes	□ No	Unknown			
33.		Yes	□ No	Unknown			
34.	Inhaled Nitric Oxide > 4 hours Yes, here	Yes, els		es, here and elsewhere		Unknown	
35.		es, elsewher	e L Yes, he	ere and elsewhere	☐ No	Unknown	
36.	Postnatal Steroids		N F	1 77 1			
	a. Were postnatal steroids used?		_	Unknown			
	b. If postnatal steroids were used, select all reasons t			7 ll	. DN-	Unknown	
	Chronic Lung Disease: Yes, here Extubation: Yes	Yes, els		es, here and elsewhere Unknown	e 🗌 No	Unknown	
	Hypotension/Blood Pressure:		No [Unknown			
	Other Reason:	_	_	Unknown			
37.	Supplemental Oxygen on Day 28		Intermittent		Unknown	□NA	
38.	Respiratory Support at 36 weeks						
	a. Supplemental Oxygen: Continuous	☐ Inter	rmittent	None Unk	nown	□NA	
		☐ Yes	□ No	Unknown	□NA		
	c. Intubated High Frequency Ventilation	☐ Yes	□ No	Unknown	□NA		
		☐ Yes, flov ☐ No	w rate >2l/min	☐ Yes, flow rate	e ≤ 2l/min	☐Yes, flow rate unknow	vn
		Yes	☐ No	Unknown	□NA		
	f. Nasal CPAP	Yes	□ No	Unknown	□NA		



	NETWORK ID:		HOSPITAL ID:		
	DOST DELIVERY DIACN	IOSES AND INTER	VENTIONS DESDI	PATORY (continue)	
39.	POST-DELIVERY DIAGN Respiratory Monitoring and Support Devices a		VENTIONS - RESPI	KATORY (continue)	
37.	NOTE: Responses to this item will be ignored if you d	8	, Initial disposition from	n your Center!	
	If the infant had a tracheostomy in place at discharge	, make sure to enter	the surgery code \$101	as a major surgery under i	tem 47b.
	a. Apnea/Cardio-Respiratory Monitor	Yes	No Un	nknown	
	b. Supplemental Oxygen:	Yes	No Un	ıknown	
	c. Intubated Conventional Ventilation	_	<u> </u>	ıknown	
	d. Intubated High Frequency Ventilation			ıknown	_
	e. Nasal Cannula	☐ Yes, flow rate > ☐ No		s, flow rate ≤ 2l/min known	☐Yes, flow rate unknown
	f. Noninvasive Ventilation	Yes	No Un	nknown	
	g. Nasal CPAP	Yes	No Un	nknown	
	POST-DELIVERY	DIAGNOSES AND	INTERVENTIONS -	INFECTIONS	
40.	Early Bacterial Sepsis and/or Meningitis on o	r before Day 3	Yes No	Unknown	
	NOTE: Please refer to Appendix B for the Bacterial In	fection Pathogen cod	es		
	If Yes, specify up to 3 pathogen codes:			2	3
	Enter a description for pathogen code 8888 (or	ther):			
41.	Late Infection after Day 3:				
	NOTE: Please refer to Appendix B for the Bacterial In				
	a. Late Bacterial Sepsis and/or Meningitis	Yes, here Yes, elsewhere		ere and elsewhere	□ NA □ Unknown
	If Yes, select up to 3 pathogens:			3	_
	Enter a description for pathogen code 8888				
	b. Coagulase Negative Staphylococci	Yes, here		nere and elsewhere	□NA
		Yes, elsewhere			Unknown
	c. Fungal	☐ Yes, here ☐ Yes, elsewhere	∐ Yes, h □ No	ere and elsewhere	□ NA □ Unknown
42.	Congenital Infection Yes No		own		
	If Yes, select up to 3 pathogens:	1	2	3	
	Enter a description for pathogen code 8888 (or	ther):			
	POST-DELIVERY DIAGNOSI	S AND INTERVE	ITIONS – OTHER D	IAGNOSIS / SURGERI	ES
43.	a. Patent Ductus Arteriosus PDA meetin	ng revised 2011 VO	N definition		□ No
		osis based on echo a eting all 2011 VON		ce or was treated for PDA	A, Unknown
	b. Indomethacin for any Reason	Yes	☐ No	Unknown	
	c. Ibuprofen for Prevention and Treatment of	PDA Yes	☐ No	Unknown	
	d. Acetaminophen (Paracetamol) for Prevention and Treatment for PDA	on Yes	□ No	Unknown	
	e. Infant received prostaglandin medication to maintain ductal patency		oplicable only if PDA infant is not diagnose		Unknown
	f. PDA Ligation or PDA Closure by Catheteriz	Yes No	wn	□ NA (If infant	is not diagnosed with PDA)
	g. Was PDA Surgery done in conjunction with Congenital Heart Disease (S501, S502, S504, S5			Applicable only if 43f. is `f no PDA Ligation or Cl	Yes) No Unknown Osure by Catheterization

CAQCC

ADMISSION/DISCHARGE FORM FOR INFANTS BORN IN 2025

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY. HOSPITAL ID: NETWORK ID: S512, S513, S514) Yes ☐ No ■ Unknown 44. a. Probiotics b. Necrotizing Yes, here Yes, elsewhere Yes, here and elsewhere ☐ No Unknown Enterocolitis Yes, here and elsewhere c. NEC Surgery Yes, here Yes, elsewhere ☐ No Unknown □ NA **Focal Intestinal Perforation** Surgically Confirmed or Clinically Diagnosed Focal Intestinal Perforation: 45. Yes, elsewhere Yes, here and elsewhere ☐ No Unknown Surgically Confirmed or Clinically Diagnosed ☐ Surgically Confirmed ☐ Clinically Diagnosed ☐ NA Unknown



	NETWORK ID:			HOSPITAL ID:]
	POST-DELIVERY DIAGNOSES	AND INTER	/ENTIONS – (OTHER DIAGNOSIS	/ SURGERIES	(continue)
46.	6. Retinopathy of Prematurity NOTE: This section is only applicable to infants ≤1,500 grams or ≤ 31 completed weeks GA unly your NICU participates in the VON expanded data collection.					r ≤ 31 completed weeks GA unless
	a. Was a retinal exam performed?	Yes	☐ No	Unknown	□NA	
	b. If retinal exam was performed, enter wo	rst stage of R	OP 0	No ROP 1		4 □5 □Unknown □NA
	c. Treatment of ROP with Anti-VEGF Dru	g Yes			_	_
	d. ROP Surgery (for infants with ROP stag higher)	e 1 or	☐ Yes, here ☐ Yes, else	= '	here and elsewh	nere Unknown NA
47.	a. Major Surgery (Not NEC, ROP, PDA)	Yes	☐ No	Unknown		
	b. If Yes, Enter up to 10 surgery codes:					
	Specify the location of the surgery, and – for surgical site infection (SSI) occurred at you		hat were perfo	rmed at <u>your hospita</u>	<u>al</u> only (never o	elsewhere) – whether or not a
	Code 1	Location:	Here	Elsewhere	Both	SSI Here
	Code 2	Location:	Here	Elsewhere	Both	SSI Here
	Code 3	Location:	Here	Elsewhere	Both	SSI Here
	Code 4	Location:	Here	Elsewhere	Both	SSI Here
	Code 5	Location:	Here	Elsewhere	Both	SSI Here
	Code 6	Location:	Here	Elsewhere	Both	SSI Here
	Code 7	Location:	Here	Elsewhere	Both	SSI Here
	Code 8	Location:	Here	Elsewhere	Both	SSI Here
	Code 9	Location:	Here	Elsewhere	Both	SSI Here
	Code 10	Location:	Here	Elsewhere	Both	SSI Here
	NOTE: If infant had NEC surgery, one of the follow	wing surgeries	should be listed	: S302, S303, S308, S309	9 or \$333	
	NOTE: If infant had a PDA Ligation or a PDA Closu	ire by Cathetei	ization, one of t	he following surgeries	should be listed:	S515, S516 or S605
	Provide description for surgery codes \$100,	S200, S300, S	8500, S600, S70	00, S800, S900 AND	S1000:	



	NETWORK ID:		HOSPITAL ID:	
	POST-DELIVERY DIAGNOSES AND) INTERVENT	IONS – OTHER DI	AGNOSIS / SURGERIES
48.	Intracranial Hemorrhage			
	a. Neural Imaging done on or before Day 28	Yes	☐ No	Unknown
	b. If neural imaging was done on or before Day 28, enter worst grade of peri-intraventricular hemorrhage:	□ 0, No H	emorrhage 1	☐ 2 ☐ 3 ☐ 4 ☐ Unknown ☐ NA
	c. If peri-intraventricular hemorrhage was present, where was it first diagnosed?	Here	Elsewhere	☐ Unknown ☐ NA
	d. If peri-intraventricular hemorrhage was present, was shunt placed for bleed?	Yes	□ No	Unknown
	e. If neural imaging was done on or before Day 28, was any other intracranial hemorrhage found?	Yes	☐ No	Unknown
49.	Describe Other: Cystic Periventricular Leukomalacia (CPVL) & Cere	L -11 T T	J	
49.	a. Was a neural image done?	Yes	□ No	Unknown
	b. If neural image done, evidence of Cystic PVL?	☐ Yes	□ No	Unknown
	c. Cerebellar Hemorrhage	Yes	□ No	Unknown
50.	Seizures, EEG or Clinical	Yes	☐ No	Unknown
51.	Hypoxic-Ischemic Encephalopathy	Mild	Moderate Sever	re 🗌 None 🔲 Unknown 🔲 NA
	CONGENITAL MALIF	ORMATION	IS / HYPERBIL	IRUBINEMIA
52.	a. Congenital Anomalies	No	Unknown	
	b. If Yes, enter up to 5 congenital anomaly codes:			
				0.1.
	Code 1 Code 2 (Code 3	Code 4.	Code 5
	Code 1 Code 2 Code 2 Code 2 Code 3.00			
F2	Enter a congenital anomaly description for codes 100	, 150, 200, 300	, 400, 504, 601, 605	, 800 and 900:
53.		, 150, 200, 300		, 800 and 900: 1
53.	Enter a congenital anomaly description for codes 100 NOTE: The following items 53-55 pertain to ANY infant that the same of t), 150, 200, 300 was previously	, 400, 504, 601, 605,	, 800 and 900: l
53.	NOTE: The following items 53-55 pertain to ANY infant that discharged home and re-admitted before day 28. a. Maximum Level of Bilirubin (mg/dl) foun Admission), 150, 200, 300 was previously	, 400, 504, 601, 605,	, 800 and 900: 1
53.	NOTE: The following items 53-55 pertain to ANY infant that discharged home and re-admitted before day 28. a. Maximum Level of Bilirubin (mg/dl) foun Admission b. Exchange Transfusion on THIS Re-Admission	was previously d On THIS F	< 25 mg/d 25 - < 30 m	l
53.	NOTE: The following items 53-55 pertain to ANY infant that discharged home and re-admitted before day 28. a. Maximum Level of Bilirubin (mg/dl) foun Admission b. Exchange Transfusion on THIS Re-Admission	was previously d On THIS F	< 25 mg/d 25 - < 30 m	l
53.	NOTE: The following items 53-55 pertain to ANY infant that discharged home and re-admitted before day 28. a. Maximum Level of Bilirubin (mg/dl) foun Admission b. Exchange Transfusion on THIS Re-Admission	was previously d On THIS F	< 25 mg/d 25 - < 30 m No	l
	NOTE: The following items 53-55 pertain to ANY infant that of discharged home and re-admitted before day 28. a. Maximum Level of Bilirubin (mg/dl) foun Admission b. Exchange Transfusion on THIS Re-Admission c. Hospital that Discharged Infant Home Prior	was previously d On THIS F	< 25 mg/d 25 - < 30 m No	l
	NOTE: The following items 53-55 pertain to ANY infant that of discharged home and re-admitted before day 28. a. Maximum Level of Bilirubin (mg/dl) foun Admission b. Exchange Transfusion on THIS Re-Admission c. Hospital that Discharged Infant Home Prior	was previously d On THIS F Yes ret to THIS Ad ct the primary	< 25 mg/d 25 - < 30 m No	l
	NOTE: The following items 53-55 pertain to ANY infant that of discharged home and re-admitted before day 28. a. Maximum Level of Bilirubin (mg/dl) foun Admission b. Exchange Transfusion on THIS Re-Admission c. Hospital that Discharged Infant Home Price Primary Caregiver's Preferred Language: Please selection Arabic	was previously d On THIS F Yes r to THIS Ad ct the primary ong/Miao	< 25 mg/d 25 - < 30 m No	l
	NOTE: The following items 53-55 pertain to ANY infant that discharged home and re-admitted before day 28. a. Maximum Level of Bilirubin (mg/dl) foun Admission b. Exchange Transfusion on THIS Re-Admission c. Hospital that Discharged Infant Home Price Primary Caregiver's Preferred Language: Please selection Arabic	was previously d On THIS F Yes To to THIS Ad to the primary ong/Miao	< 25 mg/d 25 - < 30 m No	l
	NOTE: The following items 53-55 pertain to ANY infant that discharged home and re-admitted before day 28. a. Maximum Level of Bilirubin (mg/dl) foun Admission b. Exchange Transfusion on THIS Re-Admission c. Hospital that Discharged Infant Home Price Primary Caregiver's Preferred Language: Please selection Hmm Japa Armenian Japa Cambodian/Khmer Kon	was previously d On THIS H Yes THIS Ad ct the primary ong/Miao nnese rean ndarin	< 25 mg/d 25 - < 30 m No	l
	NOTE: The following items 53-55 pertain to ANY infant that of discharged home and re-admitted before day 28. a. Maximum Level of Bilirubin (mg/dl) found Admission b. Exchange Transfusion on THIS Re-Admission c. Hospital that Discharged Infant Home Price Primary Caregiver's Preferred Language: Please selection Arabic	was previously d On THIS H Yes To THIS Ad ct the primary ong/Miao nnese rean ndarin teco	< 25 mg/d 25 - < 30 m No	l
	NOTE: The following items 53-55 pertain to ANY infant that of discharged home and re-admitted before day 28. a. Maximum Level of Bilirubin (mg/dl) found Admission b. Exchange Transfusion on THIS Re-Admission c. Hospital that Discharged Infant Home Prior Department of the prior Department of	was previously d On THIS I Yes To to THIS Ad to the primary ong/Miao anese tean adarin teco	< 25 mg/d 25 - < 30 m No	l
	NOTE: The following items 53-55 pertain to ANY infant that discharged home and re-admitted before day 28. a. Maximum Level of Bilirubin (mg/dl) found Admission b. Exchange Transfusion on THIS Re-Admission c. Hospital that Discharged Infant Home Price Primary Caregiver's Preferred Language: Please selection Arabic	was previously d On THIS I Yes To to THIS Ad to the primary ong/Miao unese rean adarin tecco ijabi sian	< 25 mg/d 25 - < 30 m Re	l

CAQCC

ADMISSION/DISCHARGE FORM FOR INFANTS BORN IN 2025

NETWORK ID:	HOSPITAL ID:						
INITIAL DISPOSITION							
56. Enteral Feeding at Discharge None Human Milk Only	☐ Human Milk with Fortifier or Formula ☐ Unknown☐ Formula Only						
57. Initial Disposition from your Center Home Died	☐ Transported ☐ Unknown ☐ Still Hospitalized as of 1st Birthday						
58. Weight at Initial Disposition grams	Unknown						
59. Head Circumference at Initial	cm Unknown Not Done						
60. Initial Discharge Date: (MM-DD-YYYY)	Unknown						
POST-TRANSPC	PRT STATUS						
NOTE: If infant was transported to another hospital, complete items 61 – 63.							
61. Reason for Transport ☐ ECMO ☐ Hypothermic Therapy ☐ Surgery ☐ Other Medical/Diagnostic Services	☐ Growth/Discharge Planning ☐ Unknown ☐ Chronic Care ☐ Other Reason ☐ Insurance ☐ Not Applicable						
62. Hospital the infant was transported to:							
G3. Post-Transport Disposition ☐ Home (skip to item 67) ☐ Transport again to another hospi item 66) ☐ Died (skip to item 67)	tal (skip to Re-Admitted to your hospital (continue with item 64) Still Hospitalized as of 1st Birthday (skip to item 67) Unknown						
NOTE: Complete items 64 – 65 for infants who were initially transported from or center and then transported back to your center without every going home. For these infants, it is necessary to update items 23, 25 – 27, and 29 – 56 with information that should be obtained from the episode of care at the hospital the infant was transported to and the care upon re-admission at your center. The intention is to capture the cumulative interventions received by the infant while the infant was in your NICU before and after transport and while the infant was at the transport-out NICU. NOTE: That these items do not need to be tracked for subsequent transports and re-admissions.							
64. Weight after Re-Admission g	rams Unknown						
65. Disposition after Re-Admission Home (skip to item 67) Transport again to another Died (skip to item 67)	Still Hospitalized as of 1st Birthday (skip to item 67) hospital Unknown						
NOTE: Complete item 66 for infants who were initially transported from your center and then a) either transported again to another hospital, or b) re-admitted to your center and then transported from your hospital to another hospital.							
66. Ultimate Disposition	spitalized as of 1st Birthday						
67. Final Discharged Date: (MM-DD-YYYY)							