

# Electronic Data Submission (EDS)

*2026 Member Instructions*

## TABLE OF CONTENTS

<b>WHAT IS ELECTRONIC DATA SUBMISSION (EDS)?</b>	<b>1</b>
CAVEATS AND CONSIDERATIONS	1
<b>IMPORTANT TERMS</b>	<b>1</b>
FILES (OR DATA FILES)	1
FILE NAMES	1
FIELDS	2
FILE CONTENTS	2
EPISODE OF CARE	2
RECORDS	3
NEW RECORD	3
UPDATED RECORD	3
DELETED RECORD	3
VALUES FOR “RECORD STATUS” IN NICU DATABASE	3
Complete Record (CMPLT, CMPLT+, CMPLT-)	3
Pending Record (PND)	3
Still-in-house (SIH)	3
Error (ERRSPND)	4
Error (ERRSIH)	4
Error (ERRS)	4
Deleted (DEL)	4
<b>SUMMARY OF EDS PROCEDURES FOR 2026</b>	<b>4</b>
WHAT TO EXPECT	4
SUBMITTING EDS FILES FOR THE 2026 BIRTH YEAR	4
UPDATING RECORDS FOR INFANTS BORN IN 2025 WHO WERE STILL IN-HOUSE INFANTS ON THE 2026 CLOSE-OUT DATE	5
COMMON FILE ERRORS	5
<b>EDS SPECIFICATION SECTIONS</b>	<b>6</b>
TRACKING FIELDS	7
File Number (FILENUM)	7
File Date (FILEDATE)	7
Deleted Records (DELETED)	7
Application Used to Submit Records (APPLICATION)	7
Application Version (VERSION)	7
Birth Year (BYEAR)	7

*Acute Transport-In Eligibility (ACUTETRS)* ..... 8

**RECORD KEYS**..... 8

*Center ID (HOSPNO)*..... 8

*Record ID (ID)*..... 8

**RECORDS FOR INFANTS WHO ARE NOT TRANSPORTED-OUT** ..... 8

**DELIVERY ROOM DEATH RECORDS** ..... 8

**OPTIONAL FIELDS** ..... 8

**APPENDICES** ..... 9

**APPENDIX A. 2026 CPQCC EDS SPECIFICATIONS** ..... 9

## What is Electronic Data Submission (EDS)?

Electronic Data Submission (EDS) is an optional method for submitting NICU data to CPQCC. Instead of entering infant records one at a time through the NICU Data website, centers can submit many records at once in a comma separated values (.csv or .txt) file, saving time and effort. Extracting the data from the center's electronic medical record (EMR) removes the requirement for abstracting that information out by hand, which makes the process much more efficient.

### Caveats and Considerations

Centers that elect to participate in EDS are those that have set up mechanisms to extract data from their EMR into electronic files in the required format. This format's specifications are in this manual.

Each participating center must build a system that is compatible with their own resources. It is very important that the system produces output files that meet CPQCC requirements for both data submissions and for documentation of the eligibility and enrollment status of individual infants.

An experienced programmer or software developer is an integral part of the data collection team for a center interested in participating in EDS. Only centers with programming staff available for building and testing data extraction procedures are encouraged to participate in EDS.

## How to Participate in EDS

Centers who are interested in participating in EDS must read these instructions and assess their resources. If your center has the appropriate resources (at minimum, a programmer or developer available to build a system capable of producing CPQCC-standard files based on data extracted from the EMR), we will be happy to facilitate your participation. Centers will not be able to submit EDS files unless they have been approved by the Data Center team. Please submit a [Help Desk Ticket](#) to discuss your center's capacities and to make specific plans for submitting 2026 data via EDS.

## Important Terms

### Files (or Data Files)

Files must be sent as comma-separated value (.csv or .txt) text files only.

### File Names

Data files submitted to CPQCC must follow the specific file naming system explained below, or the files will be rejected.

File names must follow this pattern: **HnnnnEDSxxxx** where:

- “nnnn” represents the four-digit center ID number with leading zero(s). If you do not know your center ID number, please submit a [Help Desk Ticket](#).
- “xxxx” represents a four-digit sequential file number.

The file number should be sequentially numbered by the member’s system to uniquely identify each electronic file submitted to CPQCC (optimally with no gaps in sequence). Members can find the last file submitted by reviewing the EDS Activity report. A file is not processed if the file number was previously used. If a file's file numbers is not in sequence the user will receive a warning, but the file can still be uploaded.

As an example, the first EDS file submitted by Center 999 would be called H0999EDS0001, the second H0999EDS0002, etc.

**NOTE:** Each file must contain records from **one** birth year **only**. For example, you cannot include an infant born in 2025 in a file with infants born in 2026.

## Fields

A **field** contains a single piece of information about each unique episode of care being submitted to the NICU Database. The new 2026 EDS Specifications for the NICU list the fields required for electronic submission of data beginning in 2026. The 2026 EDS Specifications specify the ranges and coding rules for each field.

## File Contents

The first row of data must contain the field names, in correct order, for every file submitted. The field names and their order are listed in the [2026 EDS Specifications](#), on the CPQCC Data Resources webpage, under Electronic Data Submission. A text file submission is a “flat file” named either **HnnnnEDSxxxx.csv** or **HnnnnEDSxxxx.txt**.

**When submitting a file, it must contain all of the fields as listed in the EDS Specifications.** The following fields should not be empty to pass the initial test for EDS submission: FILENUM, FILEDATE, DELETED, HOSPNO, ID, and BYEAR.

We recommend that EDS participants submit at a minimum the variables needed to save an online data entry: Birth Year, Infant ID, Birth Weight, Birth Date, Sex, Delivery Room Death, Acute Transport In.

If the “Delivery Room Death” and “Acute Transport In” indicator fields are not included in the EDS file the record will be considered an A/D record without CPeTS form.

**NOTE:** EDS file users **MUST** submit all date/time variables as string variable values enclosed in double quotes. In other words, in a comma separated ascii file, a date variable must be submitted as “12/12/2026 {space} 12:00” instead of 12/12/2026 {space} 12:00.

## Episode of Care

An episode of care is defined as the entire period of care before an infant is discharged home. This can include multiple stays in one NICU, if the infant is transferred from the NICU to

another service within the hospital and subsequently readmitted to the NICU, or multiple stays at other NICUs, if the infant is transported from another hospital's NICU, as long as the infant is not discharged home at any point. Readmission after discharge home starts another episode of care and thus a new NICU record for the infant.

## Records

Each unique episode of care constitutes a record. A record is made up of its component fields (for definition of **field**, see [above](#)). For more on eligibility and episodes of care, please see the [Is That Baby Eligible?](#) flowchart on the CPQCC Data Resources webpage, under Manuals.

### New Record

A record that is sent to CPQCC for the first time.

### Updated Record

A record which has been sent to CPQCC previously.

### Deleted Record

An updated record that is submitted with the “deleted” field set to 1. ID numbers for submitted records that have the "deleted" field set to 1 cannot be reused for another infant's episode of care.

## Values for “Record Status” in NICU Database

Once you have uploaded a 2026 EDS file via the NICU Data website, you can examine the uploaded records by selecting 2026 from the year drop-down in the left menu bar and clicking on **Edit Data**. The “status” field (header **STTS**) shows the status of each individual record as follows:

### Complete Record (CMPLT, CMPLT+, CMPLT-)

A processed record in which there are no blank fields. If a NICU participates in optional data collections, CMPLT is suffixed by a + / - if all optional data elements have been submitted / not submitted.

### Pending Record (PND)

An incomplete record with blank fields, but no errors. The column PND shows the number of pending fields.

### Still-in-house (SIH)

A record that is complete with the exception of items that can only be provided when the infant is discharged, in other words, the episode of care relevant for the NICU Data collection has not yet ended.

### **Error (ERRSPND)**

A record with some blank fields and with one or more inconsistencies. The number of inconsistencies or errors is shown in the ERR column specific to each form. The errors can be reviewed using the error report.

### **Error (ERRSIH)**

A record with one or more inconsistencies related to SIH fields, i.e., fields that can only be provided when the infant is discharged and the episode of care has ended.

### **Error (ERRS)**

A record without blank fields, but with one or more inconsistencies. For instance, if based on the CPeTS form the infant was on nasal CPAP at referral, however Nasal CPAP or DR CPAP are not answered Yes.

### **Deleted (DEL)**

A record that has been marked as deleted

## **Summary of EDS Procedures for 2026**

### **What to Expect**

It is important to closely follow the rules about the EDS file name and its structure. If your NICU is approved for EDS submissions, the EDS intake process is facilitated through the NICU Data website, in other words EDS files can be uploaded and are immediately processed upon upload.

There is no restriction to the number of EDS files that can be uploaded per day. 2026 EDS files are accepted through the end of close-out of the 2026 birth year in June 2027.

### **Submitting EDS Files for the 2026 Birth Year**

1. Prepare your EDS file according to the specifications outlined above regarding file name and file structure.
2. Log in to the NICU Data site at [www.cpqccdata.org](http://www.cpqccdata.org).
3. Select **Upload EDS File** in the left sidebar.
4. Follow the menu to upload your EDS file.
  - In the first upload step, the intake system verifies that your EDS file is named correctly and follows the required specifications.

- If your EDS file passes this check, you may complete the upload using the menu returned. This second step processes the records in your EDS file and adds them to the NICU Data files.
  - If your EDS file does not pass this check, you will receive a message explaining the problem. For example: If the length of the filename including the extension and period is not equal to 16, the following error message will appear: *“Error: The length of the filename including the extension and period is not equal to 16. Unable to process EDS file. Please contact CPQCC Support if you have questions.”* You have to address the problem(s) and then retry uploading your file.
5. After the records in your EDS file are processed, a summary page is displayed describing the content of the upload including any record rejections. Please review this summary carefully.
  6. To verify that your records were uploaded as intended, review the records submitted for your NICU by clicking on Edit Data in the left sidebar. Sort your list by date of last update by clicking the header **“Last Updated.”** All the records added from your EDS file should have the same date of last update. The STTS (record status) column can be used to identify records with errors and incomplete records.
  7. To locate uploaded records with errors, click on Data Reports in the left sidebar and select Error Report to obtain a list of fields in error. You can either fix these errors using the web interface, or you can include these records in another EDS file and correct them with another EDS upload.

**NOTE:** There is no limit to the number of files that can be submitted per day.

## Updating Records for Infants born in 2025 who were Still In-House Infants on the 2026 Close-Out Date

Records for infants born in 2025 who were SIH at the time of the 2025 birth year close-out in June 2026 MUST be updated through the NICU Data site at [www.cpqccdata.org](http://www.cpqccdata.org). 2025 EDS files are no longer accepted after a birth year's close-out process has completed.

## Common File Errors

Here are some of the more common errors that you may see, and how to correct them.

1. File name does not begin with the letter H. Make sure the file name fits the specifications in the [File Name](#) section.
2. File name does not have EDS in positions 6 through 8. The file must be named in the format “HmmmEDSxxxx”, where *mmm* is your center number and *xxxx* is the file number in order of submission. For details, please see the [File Name](#) section.
3. File does not have the .zip or .csv extension.  
If you are uploading zip files, make sure your file is properly compressed and named before submitting.
4. Center is not approved for EDS submission based on the center ID number in the file name. Before starting your first EDS submission, make sure your center is approved for EDS submissions.
5. The EDS password is incorrect. This error can only occur if you choose to submit a zipped and encrypted EDS file. Review your NICU's EDS password on the NICU

Settings page and ensure that this password is used to encrypt your EDS file.

Note that starting with birth year 2022, it is acceptable to upload a zip file without a password.

6. If you are uploading a zip file, either the zip file could not be unzipped successfully (the EDS password is incorrect), or the file or files in the zip archive are not named correctly (see the [File Name](#) section).
7. File number previously used. This means that the file number has already been used; please select the next available number in sequence after the last one submitted. File numbers already used can be viewed as follows:
  - a. Log into NICU Data
  - b. Select birth year 2026
  - c. Select **Data Reports** from the navigation pane.
  - d. Select **EDS Activity**
8. If you are uploading a zip archive, the file in the archive does not have the correct extension (.txt or .csv).  
Example: The .zip file could be unzipped, but the file it contained did not have the correct extension. Check to be sure that the file is of the correct type and then correct the extension before re-zipping and uploading to the NICU Data site.
9. The header line of your csv or txt file does not match the header required for 2026. Two headers are acceptable for birth year 2026, one without optional fields, and one with optional fields.  
To remedy this issue, compare the header (first) line in your EDS csv or txt file with the header lines in the EDS skeletons available on the cpqcc.org website.
10. The submitted file does not have the same file number and center number for all records.
11. The length of the file name, including the extension and period, does not equal 16. See the [File Name](#) section for instructions on how to name data files and correct the file name.
12. If you are uploading a zip file, the zip file is corrupted, and the file cannot be properly unzipped and read. You may need to recreate the zip archive again. Use the test archive feature of your archiving software to ensure that the archive is not corrupt.
13. The BYEAR is not 2026 for all records.

You might also encounter the message that the file number is not in sequence. Note that this message is a warning, the EDS upload is still allowed. If an EDS file has an out-of-sequence number, this may mean that one or more files were not uploaded when they should have been. Please check to make sure all files were uploaded properly as intended.

## EDS Specification Sections

CPQCC's NICU Database includes delivery room death (DRD), admission/discharge (A/D) and acute transport-in (CPeTS) data.

The 2026 EDS file is divided into three sections:

1. Tracking fields section (described below)
2. CPeTS section (described in the [2026 CPQCC EDS Specifications](#))
3. DRD and A/D section (described in the [2026 CPQCC EDS Specifications](#))
4. Optional fields section (described in the [2026 CPQCC EDS Specifications](#))

## Tracking Fields

The following fields are used for file control. Although – with the exception of the DELETED and BYEAR fields – these fields are not included on the CPeTS, DRD or A/D databases and the on-line data collection forms, these fields are important for EDS file tracking.

### File Number (FILENUM)

Files must be named in the format “HxxxxEDSnnnn.csv” or “HxxxxEDSnnnn.txt” and the **FILENUM** field must be the same as the file number *nnnn*.

A file is not processed if the file number was previously used.

### File Date (FILEDATE)

The **FILEDATE** field contains the date that the file was generated on your system.

Every record in a file must have the same file date (mm/dd/yyyy). An EDS file is rejected otherwise.

### Deleted Records (DELETED)

There are situations when an infant’s record must be removed from the database. For example, a user may discover that a reported infant is not eligible. For these situations, such a record should have the **DELETED** field set to 1.

For all other records, the **DELETED** field should be left blank.

Records with the DELETED field set to 1 remain in the NICU Database, and their record ID cannot be re-used.

**NOTE:** Records deleted before ever being exported to CPQCC may be removed from the center’s computer system entirely and the record ID may be re-used.

### Application Used to Submit Records (APPLICATION)

This optional field is used to specify the name of the application your center uses to generate the EDS file. Although not required, the application name can be useful if assistance is needed from the Data Center team to resolve file submission problems.

### Application Version (VERSION)

This optional field allows a user to report the version number of the application used to generate EDS files. Although not required, the application version information can be useful if assistance is needed from the Data Center team to resolve file submission problems.

### Birth Year (BYEAR)

This field must contain the infant's birth year. All birth years in the file must be the same, because the file’s format may change from year to year.

## Acute Transport-In Eligibility (ACUTETRS)

This field must contain a “1” if the infant was acutely transported **into** your NICU and qualifies for a CPeTS form, and a “0” if they were not. If an infant was acutely transported in, all CPeTS data fields must be filled in, otherwise they may be left blank.

**NOTE:** Not all acute transports require a CPeTS form, only the first transport.

## Record Keys

### Center ID (HOSPNO)

This field must contain the center’s network ID number. It must match the network ID number in the file name (“xxxx” as explained previously). All records must contain the same center network ID.

### Record ID (ID)

Each infant record must include a unique Record Identification Number (ID). No two infants at a center may have the same ID. A record ID is the unique identifier for an infant within one NICU during a single [episode of care](#).

## Records for Infants Who Are Not Transported Out

If an infant does not transport-out from your center to another hospital, all fields on the Transport/Post-Transport Form should be submitted with the appropriate not applicable N/A codes.

## Delivery Room Death Records

For infants who die in the delivery room, per EDS specifications, the fields that appear on the Admission/Discharge Form and CPeTS Form, but which do not appear on the Delivery Room Death Form, must be coded using the appropriate not applicable N/A code.

## Optional Fields

It is possible to include the optional Delivery Room Oxygen QI items (2), FCC pilot items (4) Total Duration of all Episodes of Intubated Assisted Ventilation (1), and MOMMS QI Collaborative (11) into your EDS file.

If you include any optional fields into your EDS file, you must include all optional fields in your file, just leave the optional fields that you do not use empty. You must also use the header line that includes the optional items.

## Appendices

### Appendix A. 2026 CPQCC EDS Specifications

**Appendix A. 2026 CPQCC EDS Specifications  
2026 EDS Specifications for the combined NICU and CPeTS Databases  
(Version 25)**

**Summary of FIELDS for 2026**

<b>Section I. Tracking Fields</b>					
<b>2026 Item</b>	<b>Field Name</b>	<b>Description</b>	<b>Field Type</b>	<b>Range of Possible Values</b>	<b>Coding Rules</b>
None	<b>FILENUM</b>	File Submission Number	Integer	{1 - 9999}	Sequentially assigned file number, incremented with each submission
None	<b>FILEDATE</b>	File Submission Date	Date	01/01/2026-07/06/2027	Date on which data is exported to file for submission to CPQCC. Valid date, format should be mm/dd/yyyy
None	<b>DELETED</b>	Record deleted	Integer	{BLANK, 1}	BLANK=No, 1=Yes record deleted (but unique network ID number preserved)
None	<b>APPLICATION</b>	Application Submitting the Data File	Char25		Up to 25 alphanumeric characters.
None	<b>VERSION</b>	Version of Application Submitting Data File	Char15		Up to 15 alphanumeric characters.
None	<b>HOSPNO</b>	Center ID Number	Integer		Center ID Number as assigned by CPQCC
None	<b>ID</b>	Network ID Number	Integer	{00001 - 99998}	Each ID number is to be sequentially assigned by hospital
None	<b>BYEAR</b>	Birth Year	Integer	{2026}	For infants born in 2025 EDS Specifications for 2025 must be used. Submit EDS files for 2026 separately from EDS files for 2025. 2025 EDS files are accepted through the end of close-out. After close-out, they are no longer accepted. If you need to update any 2025 records after closeout, use cpqccdata.org to edit these records.
None	<b>ACUTETRS</b>	Acute Transport-In Eligibility	Integer	{0, 1}	0=No, 1=Yes. Each record is tracked for eligibility into the CPeTS database. If [ACUTETRS]=1, then all variables starting with [T_*] must be filled out; otherwise if [ACUTETRS]=0, then CPeTS section should be Not Applicable. This field MUST be completed, otherwise the record will be rejected.

**Section II. 2024 EDS Specifications for the CPeTS Database**

**NOTE: NEW & REVISED FIELDS FOR 2024 ARE HIGHLIGHTED in Yellow for CPeTS**

**PATIENT DIAGNOSIS**

**Transport Type**

<b>2024 Item</b>	<b>Field Name</b>	<b>Description</b>	<b>Field Type</b>	<b>Range of Possible Values</b>	<b>Coding Rules</b>
None	<b>T_SPECIALSITUATION</b>	Transport Special Situation	Char4	{0000}	0000=N/A, Record does NOT require a Transport Special Situation Override. Make sure to code this field as a character field, so the zeros are preserved.
				{1000}	1000=Situation A. Delivery Room Attendance: 7777=N/A TRIP Referral section first column Items C.20 through C.29 (T_COOLING1, T_COOLINGMETHOD1, T_RESP1, T_RESPRATE1, T_SA021, T_RESPSTATUS1, T_FIO21, T_HEARTRATE1, T_BPSYS1, T_BPDIA1, T_BPMEAN1, T_PRESSOR1, T_TEMP1, T_VENTMODE1). NOTE: Situation A CANNOT occur with any of the other three Special Situations.
				{0100, 0110, 0101, 0111}	0100= Situation B.Transport by Referring Center (Self-Transport): 7777=N/A T_TTDEPDATETIME, T_EVALINITDATETIME, TRIP Referral section second column Items C.20 through C.29 (T_COOLING2, T_COOLINGMETHOD2, T_RESP2, T_RESPRATE2, T_SA022, T_RESPSTATUS2, T_FIO22, T_HEARTRATE2, T_BPSYS2, T_BPDIA2, T_BPMEAN2, T_PRESSOR2, T_TEMP2, T_VENTMODE2), T_TTDEPDATETIME, T_TARRDATETIME, and T_TEAMBASE must equal 3=Referring Hospital; 0110= Situation B and Situation C; 0101= Situation B and Situation D; 0111= Situation B, Situation C, and Situation D.

				<p>{0010, 0110, 0011, 0111}</p>	<p>0010= Situation C. Transport from Emergency Department or other non-perinatal setting: N/A=T_MADMDATETIME, T_CMAL, T_BDC1 to T_BDC5, T_ASTERDATETIME; T_BDATETIME= Must submit Date of Birth, then enter N/A=Time of Birth ONLY, T_BWGT= enter current weight (if current weight is missing, enter 9999); 0110= Situation B and Situation C; 0011= Situation C and Situation D; 0111= Situation B, Situation C, and Situation D.</p>
				<p>{0001, 0101, 0011, 0111}</p>	<p>0001= Situation D. Safe Surrender: N/A=T_MADMDATETIME, T_CMAL, T_BDC1 to T_BDC5, T_ASTERDATETIME, DRSURF, T_SURFX; T_BDATETIME= Must submit Date of Birth, then enter N/A=Time of Birth ONLY, T_BWGT= enter current weight (if current weight is missing, enter 9999); BIRTHLOCATION= Must equal 900099=Safe Surrender; 0101= Situation B and Situation D; 0011= Situation C and Situation D; 0111= Situation B, Situation C, and Situation D.</p>

<b>C.1</b>	<b>T_TYPE</b>	Transport Type	Integer	{1 - 5, 7}	1=Requested Delivery Attendance, 2= Emergent, 3=Scheduled Neonatal, 4=Other (Describe), 5=Urgent, 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1). NOTE: If [T_TYPE]=1, then C.20-C.29=7 or N/A and special situation A = 1000 should be coded.
<b>C.1</b>	<b>T_TYPEDESC</b>	Type Describe	Char50	{Description, 77}	Up to 50 alphanumeric characters; 77=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1 or [T_TYPE] = {1,2,3,5})

**Indication for Transport**

**NOTE: A baby that is transported into your hospital for reasons of Staffing/Census Issues (Bed availability), Insurance restrictions, Growth/Discharge Planning, Chronic, or Hospice Care is NOT eligible, and you do not need to fill out this form.**

<b>C.2</b>	<b>T_TRANSCODE</b>	Indication for Transport	Integer	{2, 3, 7}	(Only if [ACUTETRS]=1): 2=Medical DX/RX Services, 3=Surgery; 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1)
------------	--------------------	--------------------------	---------	-----------	---

**Referral Date and Time (Time Sequence CPeTS)**

**NOTE: This is the same as Referral Date/Time in Item C.14. Submit this variable only once using this field.**

C.14	T_REFDATETIME	Date/Time of Referral ( <b>and Referring Hospital Evaluation</b> )	Char16	{01 - 12}/{01 - 31}/{2026}{space}{00}:{00}; {07}/{07}/{1907}{space}{07}:{07}; {09}/{09}/{1909}{space}{09}:{09}	16 alphanumeric characters using forward slashes for the date, a {space} between date and time, and a colon between hour and minutes=mm/dd/yyyy{space}hh:mm; 07/07/1907 07:07=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1); 09/09/1909 09:09=Unknown. Note: Text file submitters MUST submit all Date/Time variables as string variable values enclosed in quotes. In other words in a comma separated ASCII file, a Date/Time variable must be submitted as "12/12/2026{space}12:00" instead of 12/12/2026{space}12:00.
<b>Date/Time of Acceptance (Time Sequence CPeTS)</b>					

<b>C.15</b>	<b>T_ACCDATETIME</b>	Date/Time of Acceptance	Char16	{01 - 12}/{01 - 31}/{2026}{space}{00}:{00}; {07}/{07}/{1907}{space}{07}:{07}; {09}/{09}/{1909}{space}{09}:{09}	16 alphanumeric characters using forward slashes for the date, a {space} between date and time, and a colon between hour and minutes=mm/dd/yyyy{space}hh:mm; 07/07/1907 07:07=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1); 09/09/1909 09:09=Unknown. Note: Text file submitters MUST submit all Date/Time variables as string variable values enclosed in quotes. In other words in a comma separated ASCII file, a Date/Time variable must be submitted as "12/12/2026{space}12:00" instead of 12/12/2026{space}12:00.
-------------	----------------------	-------------------------	--------	--	--

**HISTORY AND DEMOGRAPHICS**

<b>Date &amp; Time of Maternal Admission to Labor &amp; Delivery</b>					
<b>C.10</b>	<b>T_MADMDATETIME</b>	Date/Time of Mother's Admission to Perinatal Unit or L&D	Char16	{01 - 12}/{01 - 31}/{2026}{space}{00}:{00}; {07}/{07}/{1907}{space}{07}:{07}; {09}/{09}/{1909}{space}{09}:{09}	16 alphanumeric characters using forward slashes for the date, a {space} between date and time, and a colon between hour and minutes=mm/dd/yyyy{space}hh:mm; 07/07/1907 07:07=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1); 09/09/1909 09:09=Unknown. Note: Text file submitters MUST submit all Date/Time variables as string variable values enclosed in quotes. In other words in a comma separated ASCII file, a Date/Time variable must be submitted as "12/12/2026{space}12:00" instead of 12/12/2026{space}12:00.
<b>C.12</b>	<b>T_MFTRANSCON</b>	Maternal and Fetal Transport Consideration	Integer	{1, 2, 3, 4, 5, 7, 9}	1= Advanced Dilation/ Labor, 2=Bleeding, 3= Mother Medically Unstable, 4=Non-reassuring Fetal Status, 5= Not Considered, 7= N/A (only if [GAWEEKS] >32 OR [DELDIE] =1, OR [T_SPECIALSITUATION]=0001, 0010 OR [T_TYPE]=3, 4, 7 OR [T_MADMDATETIME] <24 hours before [T_BDATETIME], 9= Unknown

**Infant Birth Date and Time**

If [ACUTETRS]=1, then C.11 [T\_BDATETIME] must = [BDATE] in the CPQCC Section. Submit this variable once.

**Birth Weight**

If [ACUTETRS]=1 AND [T\_BWGT] is not equal to 9999, then C.3 [T\_BWGT] must = [BWGT] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section.

**Best estimate of gestational age**

If [ACUTETRS]=1, then C.4 [GAWEEKS, GADAYS] must = [GAWEEKS, GADAYS] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section.

**Infant Sex**

If [ACUTETRS]=1, then C.5 [SEX] must = [SEX] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section.

**Congenital Anomalies**

<b>C.6a</b>	<b>T_CMAL</b>	Major congenital anomaly Diagnosed Prenatally	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1), 9=Unknown
-------------	---------------	---	---------	--------------	--

If [ACUTETRS]=1, then C.6b [T\_BDCD1 to T\_BDCD5] must = [BDCD1 to BDCD5] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section. For each record, there is a limit of only 5 congenital anomaly codes regardless if prenatally or post-natally diagnosed.

**Mother's Date of Birth**

If [ACUTETRS]=1, then C.7a [MDATE] must = [MDATE] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section.

**Antenatal Steroids**

If [ACUTETRS]=1, then C.8a [ASTER] must = [ASTER] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section.

**Antenatal Conditions, Magnesium - Antenatal Magnesium Sulfate**

If [ACUTETRS]=1, then C.8b [ANCMAMAGSULF] must = [ANCMAMAGSULF] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section.

**Surfactant Use**

If [ACUTETRS]=1, then C.9a [DRSURF] must = [DRSURF] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section.

<b>C.9b</b>	<b>T_SURFX</b>	Surfactant Given at Any Time	Integer	{0, 1, 7, 9}	0= No, 1= Yes, 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1), 9= Unknown
-------------	----------------	------------------------------	---------	--------------	---

<b>C.13</b>	<b>T_SURFXDATETIME</b>	Date/Time of Surfactant Administration	Char16	{01 - 12}/{01 - 31}/{2026}{space}{00}:{00}; {07}/{07}/{1907}{space}{07}:{07}; {09}/{09}/{1909}{space}{09}:{09}	16 alphanumeric characters using forward slashes for the date, a {space} between date and time, and a colon between hour and minutes=mm/dd/yyyy{space}hh:mm; 07/07/1907 07:07=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1); 09/09/1909 09:09=Unknown. Note: Text file submitters MUST submit all Date/Time variables as string variable values enclosed in quotes. In other words in a comma separated ASCII file, a Date/Time variable must be submitted as "12/12/2026{space}12:00" instead of 12/12/2026{space}12:00.
-------------	------------------------	--	--------	--	--

**INFANT CONDITIONS**

**Date/Time at which infant condition was evaluated**

**NOTE: This is the same as Referral Date/Time in Item C.14. Submit this variable only once.**

Date/Time of Initial Evaluation by Transport Team within 15 minutes of Arrival at Referring Hospital					
<b>C.18</b>	<b>T_EVALINITDATETIME</b>	Date/Time of Initial Evaluation by Transport Team within 15 Minutes of Arrival at Referring Hospital	Char16	{01 - 12}/{01 - 31}/{2026}{space}{00}:{00}; {07}/{07}/{1907}{space}{07}:{07}; {09}/{09}/{1909}{space}{09}:{09}	16 alphanumeric characters using forward slashes for the date, a {space} between date and time, and a colon between hour and minutes=mm/dd/yyyy{space}hh:mm; 07/07/1907 07:07=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1); 09/09/1909 09:09=Unknown. Note: Text file submitters MUST submit all Date/Time variables as string variable values enclosed in quotes. In other words in a comma separated ASCII file, a Date/Time variable must be submitted as "12/12/2026{space}12:00" instead of 12/12/2026{space}12:00.
Date/Time of Initial Evaluation by Transport Team within 15 minutes of Arrival at Referring Hospital					
<b>C.19</b>	<b>T_EVALNICUDATETIME</b>	Date/Time of Arrival at Receiving NICU and Initial NICU Evaluation	Char16	{01 - 12}/{01 - 31}/{2026}{space}{00}:{00}; {07}/{07}/{1907}{space}{07}:{07}; {09}/{09}/{1909}{space}{09}:{09}	16 alphanumeric characters using forward slashes for the date, a {space} between date and time, and a colon between hour and minutes=mm/dd/yyyy{space}hh:mm; 07/07/1907 07:07=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1); 09/09/1909 09:09=Unknown. Note: Text file submitters MUST submit all Date/Time variables as string variable values enclosed in quotes. In other words in a comma separated ASCII file, a Date/Time variable must be submitted as "12/12/2026{space}12:00" instead of 12/12/2026{space}12:00.
Responsiveness					
<b>C.20</b>	<b>T_RESP1</b>	Responsiveness at Referral	Integer	{0, 1, 2, 3, 7, 9}	0=Death; 1=None, Seizures, Muscle Relaxant; 2=Lethargic, no cry; 3=Vigorously withdraws, cry; 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1 OR [T_TYPE]=1 or Special Situation A); 9=Unknown

	<b>T_RESP2</b>	Responsiveness at Initial Evaluation	Integer	{0, 1, 2, 3, 7, 9}	0=Death; 1=None, Seizures, Muscle Relaxant; 2=Lethargic, no cry; 3=Vigorously withdraws, cry; 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1 OR Special Situation B); 9=Unknown
	<b>T_RESP3</b>	Responsiveness at NICU Admission	Integer	{0, 1, 2, 3, 7, 9}	0=Death; 1=None, Seizures, Muscle Relaxant; 2=Lethargic, no cry; 3=Vigorously withdraws, cry; 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1); 9=Unknown
<b>Respiratory Rate (0 to 400)</b>					
<b>C.23</b>	<b>T_RESPRATE1</b>	Respiratory Rate at Referral	Integer	{0 - 400, 777, 999}	777=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1 OR [T_TYPE]=1 OR Special Situation A), 999=Unknown
	<b>T_RESPRATE2</b>	Respiratory Rate at Initial Evaluation	Integer	{0 - 400, 777, 999}	777=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1 OR Special Situation B), 999=Unknown
	<b>T_RESPRATE3</b>	Respiratory Rate at NICU Admission	Integer	{0 - 400, 777, 999}	777=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1), 999=Unknown
<b>Oxygen Saturation (SaO2) (0 to 100)</b>					
<b>C.24</b>	<b>T_SAO21</b>	Oxygen Saturation (SaO2) at Referral	Integer	{0 - 100, 777, 999}	777=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1 OR [T_TYPE]=1 OR Special Situation A), 999=Unknown
	<b>T_SAO22</b>	Oxygen Saturation (SaO2) at Initial Evaluation	Integer	{0 - 100, 777, 999}	777=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1 OR Special Situation B), 999=Unknown
	<b>T_SAO23</b>	Oxygen Saturation (SaO2) at NICU Admission	Integer	{0 - 100, 777, 999}	777=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1), 999=Unknown
<b>Respiratory Status</b>					
<b>C.25</b>	<b>T_RESPSTATUS1</b>	Respiratory Status at Referral	Integer	{1, 2, 3, 7, 9}	1=Ventilator; 2=Severe (apnea, gasping); 3=Other; 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1 OR [T_TYPE]=1 OR Special Situation A); 9=Unknown
	<b>T_RESPSTATUS2</b>	Respiratory Status at Initial Evaluation	Integer	{1, 2, 3, 7, 9}	1=Ventilator; 2=Severe (apnea, gasping); 3=Other; 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1 OR [T_TYPE]=1 OR Special Situation A); 9=Unknown
	<b>T_RESPSTATUS3</b>	Respiratory Status at NICU Admission	Integer	{1, 2, 3, 7, 9}	1=Ventilator; 2=Severe (apnea, gasping); 3=Other; 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1 OR [T_TYPE]=1 OR Special Situation A); 9=Unknown
<b>Oxygen Index (for infants on respirator only)</b>					
<b>C.26</b>	<b>Inspired Oxygen Concentration (FiO2) (21 to 100)</b>				

	<b>T_FIO21</b>	Inspired Oxygen Concentration (FIO2) at Referral	Integer	{21 - 100, 777, 999}	777=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1) OR [T_RESPSTATUS1] in {2, 3} OR [T_TYPE]=1 OR Special Situation A), 999=Unknown (always if [T_RESPSTATUS1]=9)
	<b>T_FIO22</b>	Inspired Oxygen Concentration (FIO2) at Initial Evaluation	Integer	{21 - 100, 777, 999}	777=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1) OR [T_RESPSTATUS2] in {2, 3} OR Special Situation B), 999=Unknown (always if [T_RESPSTATUS2]=9)
	<b>T_FIO23</b>	Inspired Oxygen Concentration (FIO2) at NICU Admission	Integer	{21 - 100, 777, 999}	777=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1 OR [T_RESPSTATUS3] in {2, 3}), 999=Unknown (always if [T_RESPSTATUS3]=9)
<b>Heart Rate (0 to 400)</b>					
<b>C.22</b>	<b>T_HEARTRATE1</b>	Heart Rate at Referral	Integer	{0 - 400, 777, 999}	777=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1) OR [T_TYPE]=1 or Special Situation A), 999=Unknown
	<b>T_HEARTRATE2</b>	Heart Rate at Initial Evaluation	Integer	{0 - 400, 777, 999}	777=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1) OR Special Situation B), 999=Unknown
	<b>T_HEARTRATE3</b>	Heart Rate at NICU Admission	Integer	{0 - 400, 777, 999}	777=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1), 999=Unknown
<b>Blood Pressure</b>					
<b>C.28a</b>	<b>Systolic (0 to 140)</b>				
	<b>T_BPSYS1</b>	Systolic Blood Pressure at Referral	Integer	{0 - 140, 777, 888, 999}	777=N/A (always if [ACUTETRS]=0 OR [DELDIE]=1 OR [T_TYPE]=1 OR Special Situation A), 777=Not Done, 888=Too Low to Register, 999=Unknown
	<b>T_BPSYS2</b>	Systolic Blood Pressure at Initial Evaluation	Integer	{0 - 140, 777, 888, 999}	777=N/A (always if [ACUTETRS]=0 OR [DELDIE]=1 OR Special Situation B), 777=Not Done, 888=Too Low to Register, 999=Unknown
	<b>T_BPSYS3</b>	Systolic Blood Pressure at NICU Admission	Integer	{0 - 140, 777, 888, 999}	777=N/A (always if [ACUTETRS]=0 OR [DELDIE]=1), 777=Not Done, 888=Too Low to Register, 999=Unknown
<b>C.28b</b>	<b>Diastolic (0 to 100)</b>				
	<b>T_BPDIA1</b>	Diastolic Blood Pressure at Referral	Integer	{0 - 100, 777, 888, 999}	777=N/A (always if [ACUTETRS]=0 OR [DELDIE]=1 OR [T_TYPE]=1 OR Special Situation A), 777=Not Done, 888=Too Low to Register, 999=Unknown

	<b>T_BPDI2</b>	Diastolic Blood Pressure at Initial Evaluation	Integer	{0 - 100, 777, 888, 999}	777=N/A (always if [ACUTETRS]=0 OR [DELDIE]=1 OR Special Situation B), 777=Not Done, 888=Too Low to Register, 999=Unknown
	<b>T_BPDI3</b>	Diastolic Blood Pressure at NICU Admission	Integer	{0 - 100, 777, 888, 999}	777=N/A (always if [ACUTETRS]=0 OR [DELDIE]=1), 777=Not Done, 888=Too Low to Register, 999=Unknown
<b>C.28c</b>	<b>Mean (0 to 100)</b>				
	<b>T_BPMEAN1</b>	Mean Blood Pressure at Referral	Integer	{0 - 100, 777, 888, 999}	777=N/A (always if [ACUTETRS]=0 OR [DELDIE]=1 OR [T_TYPE]=1 OR Special Situation A), 777= Not Done, 888=Too Low to Register, 999=Unknown
	<b>T_BPMEAN2</b>	Mean Blood Pressure at Initial Evaluation	Integer	{0 - 100, 777, 888, 999}	777=N/A (always if [ACUTETRS]=0 OR [DELDIE]=1 OR Special Situation B), 777=Not Done, 888=Too Low to Register, 999=Unknown
	<b>T_BPMEAN3</b>	Mean Blood Pressure at NICU Admission	Integer	{0 - 100, 777, 888, 999}	777=N/A (always if [ACUTETRS]=0 OR [DELDIE]=1), 777= Not Done, 888=Too Low to Register, 999=Unknown
<b>Use of Pressors</b>					
<b>C.29</b>	<b>T_PRESSOR1</b>	Use of Pressors at Referral	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [ACUTETRS]=0 OR [T_TYPE]=1 OR Special Situation A), 9=Unknown
	<b>T_PRESSOR2</b>	Use of Pressors at Initial Evaluation	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [ACUTETRS]=0 OR Special Situation B), 9=Unknown
	<b>T_PRESSOR3</b>	Use of Pressors at NICU Admission	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [ACUTETRS]=0), 9=Unknown
<b>Temperature (20 to 45 Celsius)</b>					
<b>C.21a</b>	<b>T_TEMP1</b>	Temperature (20 to 45 Celsius) at Referral	Double	{20.0 - 45.0, 777.7, 888.8, 999.9}	20.0 -45.0 degrees Celcius, 777.7=N/A (only if [ACUTETRS]=0 OR [T_TYPE]=1 OR [DELDIE]=1 OR Special Situation A), 999.9=Unknown, 888.8=Too Low to Register - Note: Enter if the attempted reading is lower than the thermometer could measure.
<b>C.21a</b>	<b>T_TEMP2</b>	Temperature (20 to 45 Celsius) at Referral at Initial Evaluation	Double	{20.0 - 45.0, 777.7, 888.8, 999.9}	20.0 -45.0 degrees Celcius, 777.7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1 OR Special Situation B), 999.9=Unknown, 888.8=Too Low to Register - Note: Enter if the attempted reading is lower than the thermometer could measure.
<b>NOTE: If [ACUTETRS]=1, then C.21a [T_TEMP3] must = 22b [ATEMP] in the CPQCC Section.</b>					

<b>C.21a</b>	<b>T_TEMP3</b>	Temperature (20 to 45 Celsius) at Referral at NICU Admission	Double	{20.0 - 45.0, 777.7, 888.8, 999.9}	20.0 -45.0 degrees Celcius, 777.7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1), 999.9=Unknown, 888.8=Too Low to Register - Note: Enter if the attempted reading is lower than the thermometer could measure.
<b>Cooling</b>					
<b>C.21b</b>	<b>T_COOLING1</b>	Cooling for HIE at Referral	Integer	{0,1,7, 9}	0=No, 1=Yes, 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1 OR [T_TYPE]=1 or Special Situation A), 9=Unknown
<b>C.21b</b>	<b>T_COOLING2</b>	Cooling for HIE at Initial Evaluation	Integer	{0,1,7, 9}	0=No, 1=Yes, 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1 OR Special Situation B), 9=Unknown
<b>C.21b</b>	<b>T_COOLING3</b>	Cooling for HIE at NICU Admission	Integer	{0,1,7, 9}	0=No, 1=Yes, 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1), 9=Unknown
<b>C.21c</b>	<b>T_COOLINGMETHOD1</b>	Type of Hypothermic Therapy for HIE at Referral (Check the last method used)	Integer	{1,3,4,7, 9}	1=Passive, 3=Whole Body, 4=Other (if [T_COOLING1]=1, 7=N/A (if [T_COOLING1]=0 OR [ACUTETRS]=0 OR [DELDIE]=1 OR [T_TYPE]=1 OR Special Situation A), 9=Unknown (always if [T_COOLING1]=9)
<b>C.21c</b>	<b>T_COOLINGMETHOD2</b>	Type of Hypothermic Therapy for HIE at Initial Evaluation (Check the last method used)	Integer	{1,3,4,7, 9}	1=Passive, 3=Whole Body, 4=Other (if [T_COOLING2]=1, 7=N/A (if [T_COOLING2]=0 OR [ACUTETRS]=0 OR [DELDIE]=1 OR Special Situation B), 9=Unknown (always if [T_COOLING2]=9)
<b>C.21c</b>	<b>T_COOLINGMETHOD3</b>	Type of Hypothermic Therapy for HIE at NICU Admission (Check the last method used)	Integer	{1,3,4,7, 9}	1=Passive, 3=Whole Body, 4=Other (if [T_COOLING3]=1, 7=N/A (if [T_COOLING3]=0 OR [ACUTETRS]=0 OR [DELDIE]=1), 9=Unknown (always if [T_COOLING3]=9)
<b>Respiratory Support</b>					
<b>C.27</b>	<b>T_VENTMODE1</b>	Respiratory Support at Referral	Integer	{0, 1, 2, 3, 7, 9}	0=None, 1=Hood/NC,Blowby, 2= CPAP, 3=Noninvasive Ventilation, 4=Oral/Nasal ETT, 7=N/A (only if [ACUTETRS]=0) OR [DELDIE]=1 OR [T_TYPE]=1 OR Special Situation A), 9=Unknown
<b>C.27</b>	<b>T_VENTMODE2</b>	Respiratory Support at Initial Evaluation	Integer	{0, 1, 2, 3, 7, 9}	0=None, 1=Hood/NC,Blowby, 2= CPAP, 3=Noninvasive Ventilation, 4=Oral/Nasal ETT, 7=N/A (only if [ACUTETRS]=0) OR [DELDIE]=1 OR [T_TYPE]=1 OR Special Situation A), 9=Unknown

<b>C.27</b>	<b>T_VENTMODE3</b>	Respiratory Support at NICU Admission	Integer	{0, 1, 2, 3, 7, 9}	0=None, 1=Hood/NC,Blowby, 2=CPAP, 3=Noninvasive Ventilation, 4=Oral/Nasal ETT, 7=N/A (only if [ACUTETRS]=0) OR [DELDIE]=1 OR [T_TYPE]=1 OR Special Situation A), 9=Unknown
<b>REFERRAL PROCESS</b>					
<b>Referring Hospital</b>					
<b>C.30</b>	<b>T_REFERRINGHOSPITAL</b>	Referring Hospital	Char6	{HCAI ID (formerly OSHPD), 777777}	Valid HCAI ID (formerly OSHPD) number (see list); 777777=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1)
<b>Previous Transfer?</b>					
<b>C.31a</b>	<b>T_FIRSTTRANS</b>	Is This The First Transfer for This Infant?	Integer	{0, 1, 7}	0=No , this was NOT the infant's first transfer, 1=Yes, infant transferred for the first time, 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1)
<b>C.31b</b>	<b>T_PREVHOSPITAL</b>	Previously Transfer Referring Hospital	Char6	{HCAI ID (formerly OSHPD), 777777}	Valid HCAI ID (formerly OSHPD) number (see list); 777777=N/A (if [T_firstTrans]=1 OR [ACUTETRS]=0 OR [DELDIE]=1)
<b>Location of Birth</b>					
<b>NOTE: If [ACUTETRS]=1, then C.32 [BIRTHLOCATION] must = [BIRTHLOCATION] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section.</b>					
<b>Transport Team On-Site Leader</b>					
<b>C.33</b>	<b>T_TEAMLEADER</b>	Team Leader	Integer	{1, 2, 3, 4, 5, 6, 7}	1=Sub-Specialist, 2=Pediatrician, 3=Other MD/Resident, 4=Neonatal Nurse Practitioner, 5=Transport Specialist, 6=Nurse, 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1)
<b>Team Baser</b>					
<b>C.34a</b>	<b>T_TEAMBASE</b>	Team Base	Integer	{1, 2, 3, 7}	1=Receiving Hospital, 2=Contract Service, 3=Referring Hospital, 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1) For Special Situation B, this item is always 3.
<b>C.34b</b>	<b>T_TEAMBASECS</b>	Contract Service used	Char6	{Contract Service ID Number, 777777}	If [T_teamBase]=2, valid contract service ID number (see list); 777777 if [T_teamBase] = {1,3} OR [ACUTETRS]=0 OR [DELDIE]=1)
<b>Mode of Transport</b>					
<b>C.35</b>	<b>T_TRANSMODE</b>	Mode of Transport	Integer	{1, 2, 3, 7}	1=Ground, 2=Helicopter, 3=Fixed Wing, 7=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1)
<b>Date/Time of Transport Team Departure for Referring Hospital</b>					

<b>C.16</b>	<b>T_TTDEPDATE TIME</b>	Date/Time of Transport Team Departure from Transport Team Office/NICU for Referring Hospital	Char16	{01 - 12}/{01 - 31}/{2026}{space}{00}:{00}; {07}/{07}/{1907}{space}{07}:{07}; {09}/{09}/{1909}{space}{09}:{09}	16 alphanumeric characters using forward slashes for the date, a {space} between date and time, and a colon between hour and minutes=mm/dd/yyyy{space}hh:mm; 07/07/1907 07:07=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1); 09/09/1909 09:09=Unknown. Note: Text file submitters MUST submit all Date/Time variables as string variable values enclosed in quotes. In other words in a comma separated ASCII file, a Date/Time variable must be submitted as "12/12/2026{space}12:00" instead of 12/12/2026{space}12:00.
-------------	-------------------------	--	--------	--	--

**Date/Time of Arrival of Transport Team at Referring Hospital**

<b>C.17</b>	<b>T_TTARRDATE TIME</b>	Date/Time of Transport Team Arrival at Referring Hospital/Patient Bedside	Char16	{01 - 12}/{01 - 31}/{2026}{space}{00}:{00}; {07}/{07}/{1907}{space}{07}:{07}; {09}/{09}/{1909}{space}{09}:{09}	16 alphanumeric characters using forward slashes for the date, a {space} between date and time, and a colon between hour and minutes=mm/dd/yyyy{space}hh:mm; 07/07/1907 07:07=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1); 09/09/1909 09:09=Unknown. Note: Text file submitters MUST submit all Date/Time variables as string variable values enclosed in quotes. In other words in a comma separated ASCII file, a Date/Time variable must be submitted as "12/12/2026{space}12:00" instead of 12/12/2026{space}12:00.
-------------	-------------------------	---	--------	--	--

**User Comment Box**

	<b>T_USERCOMMENT</b>	User Comment Box	Char256	{Description, 77}	Up to 256 alphanumeric characters; 77=N/A (only if [ACUTETRS]=0 OR [DELDIE]=1)
--	----------------------	------------------	---------	-------------------	--

**Section III. 2024 EDS Specifications for the CPQCC Database**

**NOTE: NEW & REVISED FIELDS FOR 2024 ARE HIGHLIGHTED IN Yellow for CPQCC**

Tracking Fields (See Section I for Tracking Fields)

**IDENTIFICATION AND DEMOGRAPHICS**

2024 Item	Field Name	Description	Field Type	Range of Possible Values	Coding Rules
-----------	------------	-------------	------------	--------------------------	--------------

**NOTE: If [ACUTETRS]=1 AND [T\_BWGT] is not equal to 9999, then C.3 [T\_BWGT] must = [BWGT] in the CPQCC Section.**

<b>1</b>	<b>BWGT</b>	Birth Weight (in Grams)	Long Integer	{1 - 7000}	Enter birthweight in grams. Do not use a comma separator as in 1,224. Use only numbers as in 1224.
<b>2</b>	<b>BHEADCIR</b>	Head Circumference at Birth (in cm to nearest 10th of a cm)	Double	{0.1 - 70.0, 777.7, 999.9}	0.1 to 70.0, 777.7, 999.9; Codes: 777.7 = N/A (Not Done), 999.9 = Unknown
<b>NOTE: If [ACUTETRS]=1, then C.4 [GAWEEKS, GADAYS] must = [GAWEEKS, GADAYS] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section.</b>					
<b>3a</b>	<b>GAWEEKS</b>	Best Estimate of Gestational Age -- Weeks	Integer	{1 - 46, 99}	If [ACUTETRS]=1, then C.8 [GAWEEKS] must = [GAWEEKS] in CPQCC Section; 99=Unknown
<b>3b</b>	<b>GADAYS</b>	Best Estimate of Gestational Age -- Days	Integer	{0 - 6, 99}	If [ACUTETRS]=1, then C.8 [GADAYS] must = [GADAYS] in CPQCC Section; 99=Unknown
<b>NOTE: If [ACUTETRS]=1, then C.12 [T_BDATETIME] must = [BDATE] in the CPQCC Section. Submit this variable once.</b>					
<b>4a.</b>	<b>BDATETIME</b>	Birth Date/Time	Char16	{01 - 12}/{01 - 31}/{2026}{space}{00-23}:{00-59}; {01 - 12}/{01 - 31}/{2026}{space}{00}:{59}. If the time of birth is unknown, use 99:99.	16 alphanumeric characters using forward slashes for the date, a {space} between date and time, and a colon between hour and minutes=mm/dd/yyyy{space}hh:mm;  {01-12}/{01-31}/{2026} {00-23}:{00-59}= Date & Time of Birth if time of birth is known {01-12}/{01-31}/{2026} {99:99} = Date & Time of birth if time of birth is unknown  All Date/Time variables must be coded as string variable values enclosed in quotes. In other words in a comma separated ASCII file, a Date/Time variable must be submitted as "12/12/2026{space}12:00" instead of 12/12/2026{space}12:00. NOTE: If [ACUTETRS]=1, then T.6 [T_BDATE] must = [BDATE] in the CPQCC Section. Submit this variable once.
<b>NOTE: If [ACUTETRS]=1, then C.5 [SEX] must = [SEX] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section.</b>					
<b>5</b>	<b>SEX</b>	Sex of infant	Integer	{0, 1, 2, 9}	If [ACUTETRS]=1, then C.9 [SEX] must = [SEX] in CPQCC Section; 0=Female, 1=Male, 2=Undetermined, 9=Unknown

<b>6</b>	<b>DELDIE</b>	Delivery Room Death	Integer	{0, 1}	0=No, 1=Yes
<b>7a</b>	<b>LOCATE</b>	Location of Birth	Integer	{0, 1, 2}	0=Inborn; 1=Outborn; 2=Born at Co-located Hospital (Satellite NICU ONLY). Always 0 if [DELDIE]=1.
<b>7b</b>	<b>DAYADMISS</b>	Age in days at admission	Integer	{1 - 28, 77}	1 to 28 for outborn infants or inborn infants not meeting Small Baby criteria. DAYADMISS for inborn infants less than or equal to 1,500 grams or less than or equal to 29 <b>completed</b> weeks gestation should be 1. Note: Currently a value of 77 is accepted for inborn infants less than or equal to 1,500 grams or less than or equal to 29 <b>completed</b> weeks gestation and mapped to 1 by the EDS intake routine.
<b>NOTE: If [ACUTETRS]=1, then C.32 [BIRTHLOCATION] must = [BIRTHLOCATION] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section. A home birth does NOT qualify for checking "Previously Discharged Home From a Hospital after Birth."</b>					
<b>7c</b>	<b>BIRTHLOCATION</b>	Hospital of Birth (for Outborn Infants)	Char6	{HCAI ID (formerly OSHPD) number, 777777}	777777 if [LOCATE]=0; valid HCAI ID (formerly OSHPD) number (see list) For acute Transports-In with Special
<b>7d</b>	<b>TRANSCODE_IN</b>	Reason for Transport-In	Integer	{0, 1, 2, 3, 4, 6, 10, 55, 77, 99}	0=ECMO, 10=Hypothermic Therapy, 3=Surgery, 2=Other Medical/Diagnostic services, 1=Growth/Discharge planning, 4=Chronic care, 55=Other, 6=Insurance, 77=Not applicable (Only if [DELDIE]=1 OR [LOCATE] in {0,2}), 99=Confirmed unknown
<b>8a</b>	<b>PDH</b>	Was Previously Discharged Home after Birth (Outborn Infants).	Integer	{0, 1, 7}	0=Never Discharged Home from a Hospital after Birth (Only if [LOCATE]=1), 1=Was Previously Discharged Home after Birth (Only if [LOCATE]=1), 7=N/A (only if [DELDIE]=1 OR [LOCATE] in {0,2}).

<b>8b</b>	<b>READMIT</b>	Infant Readmitted to your Hospital (for Outborn Infants previously discharged home)	Integer	{0, 1, 7}	0=No (Only if [PDH]=1 and infant was not in your center's NICU prior to home discharge), 1=Yes (Only if [PDH]=1 and infant was in your center's NICU prior to home discharge), 7=N/A (only if [DELDIE]=1 OR [LOCATE] in {0,2} OR [PDH] in {0,7})
<b>MATERNAL HISTORY, DELIVERY ROOM CARE, AND SURFACTANT USE</b>					
<b>NOTE: If [ACUTETRS]=1, then C.7a [MDATE] must = [MDATE] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section.</b>					
<b>9</b>	<b>MDATE</b>	Mother's Date of Birth	Date	{Range depends on mother's age on infant's birth date, 09/09/1909}	Date format mm/dd/yyyy; 09/09/1909=Unknown
	<b>MAGE</b>	Mother's Age at Infant's Birth (Age Last Birthday)	Integer	{10 - 60, 99}	99=Unknown
<b>10</b>	<b>RE_AIAN</b>	Maternal Race/Ethnicity: American Indian or Alaska Native	Integer	{0, 1}	0=No, 1=Yes
	<b>RE_ASIAN</b>	Maternal Race/Ethnicity: Asian	Integer	{0, 1}	0=No, 1=Yes
	<b>RE_BLACK</b>	Maternal Race/Ethnicity: Black or	Integer	{0, 1}	0=No, 1=Yes
	<b>RE_HISP</b>	Maternal Race/Ethnicity: Hispanic or	Integer	{0, 1}	0=No, 1=Yes
	<b>RE_MENA</b>	Maternal Race/Ethnicity: Middle	Integer	{0, 1}	0=No, 1=Yes
	<b>RE_NHPI</b>	Maternal Race/Ethnicity: Native Hawaiian or Pacific Islander	Integer	{0, 1}	0=No, 1=Yes
	<b>RE_WHITE</b>	Maternal Race/Ethnicity: White	Integer	{0, 1}	0=No, 1=Yes
	<b>RE_OTHER</b>	Maternal Race/Ethnicity: Other	Integer	{0, 1}	0=No, 1=Yes
	<b>RE_DECLINED</b>	Maternal Race/Ethnicity: Declined	Integer	{0, 1}	0=No, 1=Yes If coded Yes, all other maternal race/ethnicity fields must be coded No (0).
	<b>RE_UNKNOWN</b>	Maternal Race/Ethnicity: Unknown	Integer	{0, 1}	0=No, 1=Yes If coded Yes, all other maternal race/ethnicity fields must be coded No (0).
<b>11</b>	<b>PCARE</b>	Prenatal Care	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>12</b>	<b>GROUPBSTREP</b>	Group B Strep Positive	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=Not Done, 9=Unknown

**NOTE: If [ACUTETRS]=1, then C.8a [ASTER] must = [ASTER] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section.**

<b>13a</b>	<b>ASTER</b>	Antenatal Steroids Received Prior to Delivery	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>NOTE: Starting from 2018, this item [ASTERDOCUMENT] is only applicable and OPTIONAL for inborn infants who are &lt;34 weeks gestational age.</b>					
<b>13b</b>	<b>ASTERDOCUMENT</b>	Documentation in the medical record for reasons for NOT initiating antenatal steroid therapy before delivery.	Integer	{0,1, 7, 9}	0=No (If [ASTER]=0 AND [LOCATE] in {0,2}), 1=Yes (If [ASTER]=0 AND [LOCATE] in {0,2}), 7=N/A (Always if [ASTER]=1 OR [LOCATE]=1 OR [GAWEEKS]>33), 9=Unknown (Always if [ASTER]=9)
<b>NOTE: Starting from 2018, this item [ASTERREASON] is only applicable and OPTIONAL for inborn infants who are &lt;34 weeks gestational age.</b>					
<b>13c</b>	<b>ASTERREASON</b>	If Yes, what was the documented reason for NOT administering antenatal steroids?	Integer	{0, 1, 2, 3, 4, 5, 6, 7, 77, 99}	1=Chorioamnionitis (if [ASTERDOCUMENT]=1), 2=Other active infection (if [ASTERDOCUMENT]=1), 3=Immediate delivery (if [ASTERDOCUMENT]=1), 4=Fetus has anomalies incompatible with life (if [ASTERDOCUMENT]=1), 5=History of adverse reaction to corticosteroids (if [ASTERDOCUMENT]=1), 6=Comfort Care (if [ASTERDOCUMENT]=1), 7=Other (if [ASTERDOCUMENT]=1), 77=N/A (only if [ASTERDOCUMENT]=0 OR [ASTER]=1 OR [LOCATE]=1 OR [GAWEEKS]>33), 99=Unknown (always if [ASTER]=9 OR [ASTERDOCUMENT]=9)
<b>14</b>	<b>SPLABOR</b>	Spontaneous Labor. Did the Mother Go into Labor on Her Own?	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>15a</b>	<b>MULT</b>	Multiple Births or Gestation	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown; Note: At least one fetus must survive beyond 20 weeks
<b>15b</b>	<b>NBIRTHS</b>	Number of Infants Delivered	Integer	{1 - 10, 77, 99}	1 TO 10 if [MULT]=1; 77=N/A (only if [MULT]=0); 99=Unknown (always if [MULT]=9)
<b>15c</b>	<b>BIRTHORDER</b>	Birth Order for Multiple Births	Integer	{1- 10 [NBIRTHS], 77, 99}	1 TO 10 [NBIRTHS] if [MULT]=1; 77=N/A (only if [MULT]=0); 99=Unknown (always if [MULT]=9 OR [NBIRTHS]=99)

<b>16</b>	<b>DELMOD</b>	Mode of Delivery	Integer	{0, 1, 2, 9}	0=Cesarean Section; 1=Normal or Spontaneous Vaginal; 2=Operative Vaginal, 9=Unknown
<b>ANTENATAL CONDITIONS: EVENTS THAT MAY AFFECT THE PREGNANCY AND/OR DELIVERY OF THE INFANT</b>					
<b>Maternal</b>					
<b>17a</b>	<b>ANCMHYP</b>	Maternal: Hypertension	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17a</b>	<b>ANCMCHORIO</b>	Maternal: Chorioamionitis	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17a</b>	<b>ANCMOINF</b>	Maternal: Other Infection	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17a</b>	<b>ANCMDIA</b>	Maternal: Diabetes	Integer	{0,1, 9}	0=No, 1=Yes, 9=Unknown
<b>17a</b>	<b>ANCMAMAGSULF</b>	Maternal: Antenatal Magnesium Sulfate	Integer	{0,1, 9}	0=No, 1=Yes, 9=Unknown
<b>17a</b>	<b>ANCMCES</b>	Maternal: Previous Cesarean	Integer	{0,1, 9}	0=No, 1=Yes, 9=Unknown
<b>17a</b>	<b>ANCMOTH</b>	Maternal: Other	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17a</b>	<b>ANCMDESC</b>	Description of 'Other'	Char50	{Description, 77, 99}	Up to 50 alphanumeric characters; 77=N/A if [ANCMOTH]=0, 99=Unknown if [ANCMOTH]=9
<b>Fetal</b>					
<b>17b</b>	<b>ANCFIUGR</b>	Fetal: IUGR	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17b</b>	<b>ANCFDIS</b>	Fetal: Non-reassuring Fetal Status	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17b</b>	<b>ANCFANO</b>	Fetal: Anomaly	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17b</b>	<b>ANCFOTH</b>	Fetal: Other	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17b</b>	<b>ANCFDESC</b>	Description of 'Other'	Char50	{Description, 77, 99}	Up to 50 alphanumeric characters; 77=N/A if [ANCFOTH]=0, 99=Unknown if [ANCFOTH]=9
<b>Obstetrical</b>					
<b>17c</b>	<b>ANCOLABOR</b>	Obstetrical: Preterm Labor (regular contractions in the context of cervical change at >37 wks)	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17c</b>	<b>ANCOPREPROM</b>	Obstetrical:Preterm Premature ROM (<37 wks)	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17c</b>	<b>ANCOPREROM</b>	Obstetrical: Term Premature ROM (rupture BEFORE the onset of labor, not premature gestation)	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A if [GAWEEKS]=<37, 9=Unknown
<b>17c</b>	<b>ANCOPROM</b>	Obstetrical: Prolonged ROM (>18 hour)	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17c</b>	<b>ANCOMAL</b>	Obstetrical: Malpresentation / Breech	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17c</b>	<b>ANCOBLEED</b>	Obstetrical: Bleeding / Abruption / Previa	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17c</b>	<b>ANCOOAH</b>	Obstetrical: Oligohydramnios / Anhydramnios	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17c</b>	<b>ANCOPH</b>	Obstetrical: Polyhydramnios	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17c</b>	<b>ANCOOTH</b>	Obstetrical: Other	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>17c</b>	<b>ANCODESC</b>	Description of 'Other'	Char50	{Description, 77, 99}	Up to 50 alphanumeric characters; 77=N/A if [ANCOOTH]=0, 99=Unknown if [ANCOOTH]=9

Indication for Cesarean Delivery. What are the indications? All applicable indications may be recorded. Mandatory for all CPQCC-eligible infants.

**NOTE: These indications only apply if the birth was cesarean. For Vaginal Births all of these must be coded 7 = N/A**

<b>18</b>	<b>INDCESBR</b>	Indication for Cesarean Delivery -- Malpresentation / Breech	Integer	{0, 1, 7, 9}	0=No (if [DELMOD]=0), 1=Yes (if [DELMOD]=0), 7=N/A (only if [DELMOD] in {1,2}), 9=Unknown (always if [DELMOD]=9)
<b>18</b>	<b>INDCESMG</b>	Indication for Cesarean Delivery -- Multiple Gestation	Integer	{0, 1, 7, 9}	0=No (if [DELMOD]=0), 1=Yes (if [DELMOD]=0), 7=N/A (only if [DELMOD] in {1,2}), 9=Unknown (always if [DELMOD]=9)
<b>18</b>	<b>INDCESFD</b>	Indication for Cesarean Delivery -- Non-reassuring Fetal Status	Integer	{0, 1, 7, 9}	0=No (if [DELMOD]=0), 1=Yes (if [DELMOD]=0), 7=N/A (only if [DELMOD] in {1,2}), 9=Unknown (always if [DELMOD]=9)
<b>18</b>	<b>INDCESER</b>	Indication for Cesarean Delivery -- Elective	Integer	{0, 1, 7, 9}	0=No (if [DELMOD]=0), 1=Yes (if [DELMOD]=0), 7=N/A (only if [DELMOD] in {1,2}), 9=Unknown (always if [DELMOD]=9)
<b>18</b>	<b>INDCESDY</b>	Indication for Cesarean Delivery -- Dystocia/Failure to Progress	Integer	{0, 1, 7, 9}	0=No (if [DELMOD]=0), 1=Yes (if [DELMOD]=0), 7=N/A (only if [DELMOD] in {1,2}), 9=Unknown (always if [DELMOD]=9)
<b>18</b>	<b>INDCESPP</b>	Indication for Cesarean Delivery -- Placental Problems	Integer	{0, 1, 7, 9}	0=No (if [DELMOD]=0), 1=Yes (if [DELMOD]=0), 7=N/A (only if [DELMOD] in {1,2}), 9=Unknown (always if [DELMOD]=9)
<b>18</b>	<b>INDCESHTN</b>	Indication for Cesarean Delivery -- Hypertension	Integer	{0, 1, 7, 9}	0=No (if [DELMOD]=0), 1=Yes (if [DELMOD]=0), 7=N/A (only if [DELMOD] in {1,2}), 9=Unknown (always if [DELMOD]=9)
<b>18</b>	<b>INDCESOTH</b>	Indication for Cesarean Delivery -- Other	Integer	{0, 1, 7, 9}	0=No (if [DELMOD]=0), 1=Yes (if [DELMOD]=0), 7=N/A (only if [DELMOD] in {1,2}), 9=Unknown (always if [DELMOD]=9)
<b>18</b>	<b>INDCESDESC</b>	Indication for Cesarean Delivery -- Other Description	Char50	{Description, 77, 99}	Up to 50 alphanumeric characters characters (if [DELMOD]=0 AND [INDCESOTH]=1); 77=N/A (only if [INDCESOTH] in {0,7}); 99=Unknown (always if [INDCESOTH]=9 OR [DELMOD]=9)
<b>19a</b>	<b>DCCDONE</b>	Was delayed umbilical cord clamping performed?	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=Not Applicable (always if [DELDDIE]=1), 9=Unknown

<b>19b</b>	<b>DCCTIME</b>	How long was umbilical cord clamping delayed?	Integer	{2, 4, 5, 7, 9}	2= 30-60 seconds (if [DCCDONE]=1), 4=61-120 seconds (if [DCCDONE]=1), 5=> 120 seconds (if [DCCDONE]=1), 7= N/A (if [DCCDONE]=0 for [DELDIE]=1), 9=Unknown (always if [DCCDONE]=9)
<b>19c</b>	<b>DCCNOTWHY</b>	If DCC was not done, reason why (OPTIONAL)?	Integer	{1, 2, 6, 7, 9}	1=Maternal Bleeding (if [DCCDONE]=0), 2= Neonatal Causes (if [DCCDONE]=0), 6=Other (if [DCCDONE]=0), 7= N/A (only if [DCCDONE]=1 or [DELDIE]=1), 9= Confirmed Unknown (always if [DCCDONE]=9)
<b>19c.</b>	<b>DCCNOTWHYDESC</b>	Description of "Other" (OPTIONAL)	Char64	{77,99,Description}	Up to 64 alphanumeric characters characters , 77=N/A (only if [DCCDONE]=1 OR [DCCNOTWHY] in {1,2} or [DELDIE]=1), 99=Unknown (always if [DCCDONE]=9 OR [DCCNOTWHY]=9)
<b>19d</b>	<b>DCCCORDMILK</b>	Was umbilical cord milking performed?	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=Not Applicable (always if [DELDIE]=1), 9=Unknown
<b>19e</b>	<b>DCCBREATH</b>	Did breathing begin before umbilical cord clamping?	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=Not Applicable (always if [DELDIE]=1), 9=Unknown
<b>20</b>	<b>AP1</b>	Apgar Score - 1 minute	Integer	{0 - 10, 77, 99}	77 = N/A (Not Done); 99=Unknown
<b>20</b>	<b>AP5</b>	Apgar Score - 5 minute	Integer	{0 - 10, 77, 99}	77 = N/A (Not Done); 99=Unknown
<b>20</b>	<b>AP10</b>	Apgar Score - 10 minute	Integer	{0 - 10, 77, 99}	77=N/A (Not Done); 99=Unknown
<b>21a</b>	<b>PA</b>	Suspected Encephalopathy or Suspected Perinatal Asphyxia	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (if [BWGT]<=1500 OR [DELDIE]=1), 9=Unknown
<b>21b</b>	<b>GAS</b>	Umbilical cord blood gas or baby blood gas in the first hour of life available	Integer	{0, 1, 7, 9}	0=No (if [BWGT]>1500 AND [DELDIE]=0 AND [[PA]=1 OR [HIE] in {3,4,5} OR [ACOOILINGMETHOD] in {3}), 1=Yes (if [BWGT]>1500 AND [DELDIE]=0 AND [[PA]=1 OR [HIE] in {3,4,5} OR [ACOOILINGMETHOD] in {3}), 7=N/A (only if [BWGT]<=1500 OR [DELDIE]=1 OR [[PA] in {0,7} and [HIE] in {0,7} and [ACOOILINGMETHOD] in {0,1,4,7}), 9=Unknown (always if [BWGT]>1500 AND [DELDIE]=0 AND [PA]=9 AND [HIE] in {7,9} AND [ACOOILINGMETHOD] in {7,9})

<b>21c</b>	<b>GASSOURCE</b>	Source of blood gas	Integer	{1, 2, 3, 4, 5, 7, 9}	1=Cord umbilical arterial (UA) (only if [GAS]=1), 2=Cord umbilical venous (UV) (only if [GAS]=1), 3=Arterial baby gas (only if [GAS]=1), 4=Venous baby gas (only if [GAS]=1), 5=Capillary baby gas (only if [GAS]=1), 7=N/A (only if [GAS] in {0,7}), 9=Unknown (always if [GAS]=9)
<b>21d</b>	<b>GASPH</b>	pH within 1 hour of life	Double	{6.00-8.00, 77.7, 99.9}	77.7=N/A (only if [GAS] in {0,7}), 99.9=Unknown (always if [GAS]=9)
<b>21e</b>	<b>GASBD</b>	Base deficit in umbilical cord blood / baby blood gas within first hour of life	Double	{0.0-50.0, 77.7, 88.8, 99.9}	77.7=N/A (only if [GAS] in {0,7}), 88.8=Too Low to Register, 99.9=Unknown (always if [GAS]=9)
<b>22a</b>	<b>DROX</b>	Initial Resuscitation -- Supplemental Oxygen	Integer	{0, 1, 9}	1=Yes, 0=No, 9=Unknown
<b>22b</b>	<b>DRCPAP</b>	Initial Resuscitation -- Nasal CPAP	Integer	{0, 1, 9}	1=Yes (always if [DRNIPPV]=1), 0=No, 9=Unknown
<b>22c</b>	<b>DRBM</b>	Initial Resuscitation -- Positive Pressure Ventilation (PPV) via Mask or Bag/Mask PPV	Integer	{0, 1, 9}	1=Yes, 0=No, 9=Unknown
<b>22d</b>	<b>DRET</b>	Initial Resuscitation -- Endotracheal Tube Ventilation	Integer	{0, 1, 9}	1=Yes, 0=No, 9=Unknown
<b>22e</b>	<b>DREP</b>	Initial Resuscitation -- Epinephrine	Integer	{0, 1, 9}	1=Yes, 0=No, 9=Unknown
<b>22f</b>	<b>DRCC</b>	Initial Resuscitation -- Cardiac Compression	Integer	{0, 1, 9}	1=Yes, 0=No, 9=Unknown
<b>22g</b>	<b>DRNIPPV</b>	Initial Resuscitation -- Noninvasive ventilation	Integer	{0, 1, 9}	1=Yes, 0=No, 9=Unknown [DRNIPPV]=1 implies that [DRCPAP]=1.
<b>22h</b>	<b>DRLMA</b>	Initial Resuscitation - Supraglottic Airway Device	Integer	{0, 1, 9}	1=Yes, 0=No, 9=Unknown
<b>NOTE: If [ACUTETRS]=1, then C.9a [DRSURF] must = [DRSURF] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section.</b>					
<b>23a</b>	<b>DRSURF</b>	Surfactant in the DR	Integer	{0, 1, 9}	1=Yes, 0=No, 9=Unknown
<b>23b</b>	<b>SURFX</b>	Surfactant Given at Any Time	Integer	{0, 1, 9}	1=Yes, 0=No, 9=Unknown, 7=N/A (Only if [DELDIE]=1)
<b>23c</b>	<b>SURF1DHR</b>	Surfactant Age at First Dose, Hours	Integer	{0 - 6665, 7777, 9999}	0-6665 (if [SURFX] = 1 OR ([DELDIE]=1 AND [DRSURF]=1)); 7777=N/A (only if [SURFX] = 0 OR ([DELDIE]=1 AND [DRSURF]=0)); 9999 = Unknown (always if [SURFX]=9 OR ([DRSURF]=9 AND [DELDIE]=1))

<b>23c</b>	<b>SURF1DMIN</b>	Surfactant Age at First Dose, Minutes	Integer	{0 - 59, 77, 99}	0-59 (if [SURFX] = 1 OR ([DELDIE]=1 AND [DRSURF]=1)); 7777=N/A (only if [SURFX] = 0 OR ([DELDIE]=1 AND [DRSURF]=0)); 9999 = Unknown (always if [SURFX]=9 OR ([DRSURF]=9 AND [DELDIE]=1))
<b>POST DELIVERY DIAGNOSIS AND INTERVENTIONS -- RESPIRATORY</b>					
<b>24a</b>	<b>ATEMPM</b>	Temperature Measured within One Hour of Admission to Your NICU	Integer	{0, 1, 7, 9}	0=No; 1=Yes; 7=N/A (only if [DELDIE]=1); 9=Unknown.
<b>NOTE: If [ACUTETRS]=1, then C.21a [T_TEMP3] must = 24b [ATEMP] in the CPQCC Section.</b>					
<b>24b</b>	<b>ATEMP</b>	Temperature at Admission to Your NICU (in Degrees Centigrade to Nearest 10th of a Degree)	Double	{20.0 - 45.0, 777.7, 888.8, 999.9}	20.0-45.0 (if [DELDIE]=0 AND [ATEMPM]=1); 777.7=N/A (only if [DELDIE]=1 OR [ATEMPM]=0); 888.8=Too Low to Register (if [DELDIE]=0 AND [ATEMPM]=1); 999.9 (always if [DELDIE]=0 and [ATEMPM]=9). NOTE: If the infant was undergoing intentional body/head cooling for therapeutic purposes, enter actual temperature. If actual temperature is < 20°C/82.4°F at the time of obtaining the first temperature within 1 hour of NICU admission, enter 20°C/68°F!
<b>24c</b>	<b>ACOOLING</b>	Infant Cooling during NICU Admission	Integer	{0, 1, 2, 7, 9}	0=No Cooling for HIE, 1=Cooling Started for HIE, 2=Cooling Continued for Transfer-In for HIE (if [LOCATE]=1), 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>24d</b>	<b>ACOOLINGMETHOD</b>	Type of LAST Hypothermic Therapy for HIE during NICU Admission	Integer	{1, 3, 4, 7, 9}	1=Passive, 3=Whole Body, 4=Other, 7=N/A (only if [ACOOLING]=0 OR [DELDIE]=1), 9=Unknown (always if [ACOOLING]=9)
<b>25a</b>	<b>OXY</b>	Post DR Respiratory Support -- Supplemental Oxygen	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>25b</b>	<b>VENT</b>	Post DR Respiratory Support -- Intubated Conventional Ventilation	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>25c</b>	<b>HFV</b>	Post DR Respiratory Support -- Intubated HIFI Ventilation	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>25d</b>	<b>HFNC</b>	Nasal Cannula	Integer	{0, 2, 3, 4, 7, 9}	0=No, 4=Yes, flow rate > 2l/min, 3= Yes, flow rate <= 2l/min, 2= Yes, flow rate unknown, 7=N/A (only if [DELDIE]=1), 9=Unknown,

<b>25e</b>	<b>NIMV</b>	Noninvasive ventilation for greater than 4 hours.	Integer	{0, 1, 2, 7, 9}	0=None, 1= ≤4 hours, 2= >4 hours, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>25f</b>	<b>CPAP</b>	Post DR Respiratory Support -- CPAP of any type	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>27a</b>	<b>DURVENT</b>	Duration of Intubated Assisted Ventilation (in your NICU)	Integer	{0, 1, 2, 7, 9}	0=None, 1= ≤4 Hours, 2= >4 Hours, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>27b</b>	<b>VENTDAYS</b>	Duration of First Episode of Intubated Assisted Ventilation in Your NICU	Long Integer	{1-366 OR 367, 7777, 9999}	1 - 366 (367 for leap years), 1=Less than 24 Hours , 2= 24 Hours to under 48 Hours, ETC. 7777=N/A (only if [DURVENT] IN (0,1,7) OR [DELDIE]=1), 9999=Unknown (always if [DURVENT]=9)
<b>28</b>	<b>DIE12</b>	Did Infant Die within First 12 Hours of Entering Your NICU?	Integer	{0, 1, 7}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1)
<b>29</b>	<b>RDS</b>	Respiratory Distress Syndrome	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>30</b>	<b>PNTX</b>	Pneumothorax	Integer	{0, 7, 9, 11, 12, 13}	0=No, 7=N/A (only if [DELDIE]=1), 9=Unknown, 11=Yes Here, 12=Yes Elsewhere, 13=Yes Here AND Elsewhere
<b>31</b>	<b>MECONIUM</b>	Meconium Aspiration Syndrome	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>32</b>	<b>CAFFEINE</b>	Caffeine for Any Reason	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>33</b>	<b>VITAMINA</b>	Intramuscular Vitamin A for Any Reason	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>34</b>	<b>NITRICO</b>	Inhaled Nitric Oxide >4 hours	Integer	{0, 7, 9, 11, 12, 13}	0=No, 7=N/A (only if [DELDIE]=1), 9=Unknown, 11=Yes Here, 12=Yes Elsewhere, 13=Yes Here AND Elsewhere
<b>35</b>	<b>ECMO</b>	ECMO	Integer	{0, 7, 9, 11, 12, 13}	0=No, 7=N/A (only if [DELDIE]=1), 9=Unknown, 11=Yes Here, 12=Yes Elsewhere, 13=Yes Here AND Elsewhere
<b>36a</b>	<b>POSTSTER</b>	Postnatal Steroids	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>36b</b>	<b>POSTERCLD</b>	Postnatal Steroids for Indication Chronic Lung Disease	Integer	{0, 7, 9, 11, 12, 13}	0=No, 7=N/A (only if [POSTSTER] in {0,7}) OR ([DELDIE]=1), 9=Unknown (always if [POSTSTER]=9), 11=Yes Here, 12=Yes Elsewhere, 13=Yes Here AND Elsewhere

<b>36b</b>	<b>POSTEREX</b>	Postnatal Steroids for Indication Extubation	Integer	{0, 1, 7}	0=No, 1=Yes, 7=N/A (only if [POSTSTER] in {0,7} or [DELDIE]=1), 9=Unknown (always if [POSTSTER]=9).
<b>36b</b>	<b>POSTERBP</b>	Postnatal Steroids for Indication Hypotension	Integer	{0, 1, 7}	0=No, 1=Yes, 7=N/A (only if [POSTSTER] in {0,7} or [DELDIE]=1), 9=Unknown (always if [POSTSTER]=9).
<b>36b</b>	<b>POSTEROTH</b>	Postnatal Steroids for Indication Other	Integer	{0, 1, 7}	0=No, 1=Yes, 7=N/A (only if [POSTSTER] in {0,7} or [DELDIE]=1), 9=Unknown (always if [POSTSTER]=9).
<b>37</b>	<b>NEWOX28</b>	Supplemental Oxygen on Day 28	Integer	{0, 2, 3, 7, 9}	0=No, 2=Intermittent, 3=Continuous, 7=N/A (only if infant not in hospital on Day 28 OR [DELDIE]=1), 9=Unknown
<b>38a</b>	<b>OX36</b>	Supplemental Oxygen at 36 Weeks (Adjusted Gestational Age)	Integer	{0, 2, 3, 7, 9}	0=No, 2=Intermittent, 3=Continuous, 7=N/A (only if infant not in hospital at 36 weeks OR ([bwgt]>1500 AND [gaweeks]>31) OR [DELDIE]=1), 9=Unknown
<b>38b</b>	<b>VENT36</b>	Intubated Conventional Ventilation at 36 Weeks	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if infant not in hospital at 36 weeks OR ([bwgt]>1500 AND [gaweeks]>31) OR [DELDIE]=1), 9=Unknown.
<b>38c</b>	<b>HFV36</b>	Intubated High Frequency Ventilation at 36 Weeks	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if infant not in hospital at 36 weeks OR ([bwgt]>1500 AND [gaweeks]>31) OR [DELDIE]=1), 9=Unknown.
<b>38d</b>	<b>HFNC36</b>	Nasal Cannula at 36 Weeks	Integer	{0, 2, 3, 4, 7, 9}	0=No, 4=Yes, flow rate > 2l/min, 3=Yes, flow rate <= 2l/min, 2=Yes, flow rate unknown, 7=N/A (only if infant not in hospital at 36 weeks OR ([bwgt]>1500 AND [gaweeks]>31) OR [DELDIE]=1), 9=Unknown.
<b>38e</b>	<b>NIMV36</b>	Noninvasive Ventilation at 36 Weeks	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if infant not in hospital at 36 weeks OR ([bwgt]>1500 AND [gaweeks]>31) OR [DELDIE]=1), 9=Unknown.
<b>38f</b>	<b>CPAP36</b>	Nasal CPAP at 36 Weeks	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if infant not in hospital at 36 weeks OR ([bwgt]>1500 AND [gaweeks]>31) OR [DELDIE]=1), 9=Unknown.

<b>39a.</b>	<b>ACFINAL</b>	Respiratory Monitoring and Support Devices at Discharge - Apnea or Cardio-Respiratory Monitor	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>39b</b>	<b>OXFINAL</b>	Respiratory Monitoring and Support Devices at Discharge -- Supplemental Oxygen	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>39c</b>	<b>VENTFINAL</b>	Respiratory Monitoring and Support Devices at Discharge -- Intubated Conventional Ventilation at Discharge	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>39d</b>	<b>HFVFINAL</b>	Respiratory Monitoring and Support Devices at Discharge -- Intubated High Frequency Ventilation at Discharge	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>39e</b>	<b>HFNCFINAL</b>	Respiratory Monitoring and Support Devices at Discharge -- Nasal Cannula at Discharge	Integer	{0, 2, 3, 4, 7, 9}	0=No, 4=Yes, flow rate > 2l/min, 3=Yes, flow rate <= 2l/min, 2=Yes, flow rate unknown,, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>39f</b>	<b>NIMVFINAL</b>	Respiratory Monitoring and Support Devices at Discharge -- Noninvasive Ventilation at Discharge	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>39g</b>	<b>CPAPFINAL</b>	Respiratory Monitoring and Support Devices at Discharge -- Nasal CPAP at Discharge	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown

**POST-DELIVERY DIAGNOSES AND INTERVENTIONS -- INFECTIONS**

**NOTE: Each of the late infection items is based on whether the infant had the infection after Day 3 of life. In determining the date of Day 3, the date of birth counts as Day 1 regardless of the time of birth. For an infant born at 11:59 PM on September 1, Day 3 will be September 3.**

<b>40</b>	<b>EBSEPS</b>	Sepsis -- Early Bacterial (On or Before Day 3)	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>40</b>	<b>EBSEPSCD1</b>	Early Bacterial Sepsis Code 1	Integer	{Bacterial Pathogen Codes, 7777, 8888, 9999}	Enter First Bacterial Pathogen Code (only if [EBSEPS]=1); 7777=N/A (only if [EPSEPS] in {0,7} OR [DELDIE]=1); 8888=Other (pathogen not listed on pathogen list, need to provide [EBSEPSDESC]); 9999=Unknown (only if [EPSEPS]=9).

<b>40</b>	<b>EBSEPSCD2</b>	Early Bacterial Sepsis Code 2	Integer	{Bacterial Pathogen Codes, 7777, 8888, 9999}	Enter Second Bacterial Pathogen Code (only if [EBSEPS]=1); 7777=N/A (only if [EPSEPS] in {0,7} OR [DELDIE]=1 OR [EBSEPS]=1 AND no 2nd pathogen); 8888=Other (pathogen not listed on pathogen list, need to provide [EBSEPSDESC]; 9999=Unknown (only if [EPSEPS]=9).
<b>40</b>	<b>EBSEPSCD3</b>	Early Bacterial Sepsis Code 3	Integer	{Bacterial Pathogen Codes, 7777, 8888, 9999}	Enter Third Bacterial Pathogen Code (only if [EBSEPS]=1); 7777=N/A (only if [EPSEPS] in {0,7} OR [DELDIE]=1 OR [EBSEPS]=1 AND no 3rd pathogen); 8888=Other (pathogen not listed on pathogen list, need to provide [EBSEPSDESC]; 9999=Unknown (only if [EPSEPS]=9).
<b>40</b>	<b>EBSEPSDESC</b>	If Other, Organism	Char128	{Description, 77, 99}	Up to 128 alphanumeric characters (only if one of [EBSEPSCD1-3]=8888); 77=N/A if [EPSEPS]=0,7 or if [DELDIE]=1; 99=Unknown (only if [EPSEPS]=9)
<b>41a</b>	<b>LBPATH</b>	Sepsis -- Late Bacterial Sepsis and/or Meningitis (after Day 3)	Integer	{0, 1, 7, 9}	0=No,7=N/A (only if [DELDIE]=1 OR infant not hospitalized in your NICU after Day 3), 9=Unknown, 11=Yes Here, 12, Yes Elsewhere, 13= Yes Here and Elsewhere
<b>41a</b>	<b>LBPATHCD1</b>	Late Bacterial Sepsis Code 1	Integer	{Bacterial Pathogen Code, 7777, 8888, 9999}	Enter First Bacterial Pathogen Code (only if [LBPATH]=1); 7777=N/A (only if [LBPATH] in {0,7} OR [DELDIE]=1); 8888=Other (pathogen not listed on pathogen list, need to provide [EBSEPSDESC]; 9999=Unknown (only if [LBPATH]=9)
<b>41a</b>	<b>LBPATHCD2</b>	Late Bacterial Sepsis Code 2	Integer	{Bacterial Pathogen Codes, 7777, 8888, 9999}	Enter Second Bacterial Pathogen Code (only if [LBPATH]=1); 7777=N/A (only if [LBPATH] in {0,7} OR [DELDIE]=1 OR no 2nd pathogen); 8888=Other (pathogen not listed on pathogen list, need to provide [EBSEPSDESC]; 9999=Unknown (only if [LBPATH]=9)

<b>41a</b>	<b>LBPATCD3</b>	Late Bacterial Sepsis Code 3	Integer	{Bacterial Pathogen Codes, 7777, 8888, 9999}	Enter Third Bacterial Pathogen Code (only if [LBPAT]=1); 7777=N/A (only if [LBPAT] in {0,7} OR [DELDIE]=1 OR no 3rd pathogen); 8888=Other (pathogen not listed on pathogen list, need to provide [EBSEPSDESC]); 9999=Unknown (only if [LBPAT]=9)
<b>41a</b>	<b>LBPATDESC</b>	If Other, Organism	Char128	{Description, 77, 99}	Up to 128 alphanumeric characters (only if one of [LBPATCD1-3]=8888); 77=N/A if [LBPAT]=0,7 or if [DELDIE]=1; 99=Unknown (only if [LBPAT]=9)
<b>41b</b>	<b>CNEGSTAPH</b>	Sepsis -- Late - Coag Neg Staph	Integer	{0, 7, 9, 11, 12, 13}	0=No, 7=N/A (only if [DELDIE]=1 or infant not hospitalized in your NICU after Day 3), 9=Unknown, 11=Yes Here, 12=Yes Elsewhere, 13=Yes Here AND Elsewhere
<b>41c</b>	<b>FUNGAL</b>	Sepsis -- Late - Fungal	Integer	{0, 7, 9, 11, 12, 13}	0=No, 7=N/A (only if [DELDIE]=1 or infant not hospitalized in your NICU after Day 3), 9=Unknown, 11=Yes Here, 12=Yes Elsewhere, 13=Yes Here AND Elsewhere
<b>42</b>	<b>VIRAL</b>	Congenital Infection	Integer	{0, 1, 7, 9}	0=Negative culture, 7=N/A (only if [DELDIE]=1), 1=Yes, 9=Unknown
<b>42</b>	<b>VIRALCD1</b>	Congenital Infection Pathogen Code 1	Integer	{Congenital Infection Pathogen code, 7777, 8888, 9999}	Enter First Congenital Infection Pathogen Code (only if [VIRAL]=1); 7777=N/A (only if [VIRAL] in {0,7} OR [DELDIE]=1); 8888=Other (pathogen not listed on pathogen list, need to provide description [VIRALDESC]); 9999=Unknown (only if [VIRAL]=9).
<b>42</b>	<b>VIRALCD2</b>	Congenital Infection Pathogen Code 2	Integer	{Congenital Infection Pathogen code, 7777, 8888, 9999}	Enter Second Congenital Infection Pathogen Code (only if [VIRAL]=1); 7777=N/A (only if [VIRAL] in {0,7} OR [DELDIE]=1 OR no 2nd pathogen code); 8888=Other (pathogen not listed on pathogen list, need to provide description [VIRALDESC]); 9999=Unknown (only if [VIRAL]=9).

<b>42</b>	<b>VIRALCD3</b>	Congenital Infection Pathogen Code 3	Integer	{Congenital Infection Pathogen code, 7777, 8888, 9999}	Enter Third Congenital Infection Pathogen Code (only if [VIRAL]=1); 7777=N/A (only if [VIRAL] in {0,7} OR [DELDIE]=1 OR no 3rd pathogen code); 8888=Other (pathogen not listed on pathogen list, need to provide description [VIRALDESC]); 9999=Unknown (only if [VIRAL]=9).
<b>42</b>	<b>VIRALDESC</b>	If Other, Pathogen Description	Char128	{Description, 77, 99}	Up to 128 alphanumeric characters (only if one of one of [VIRALCD1-3]=8888); 77=N/A if [VIRAL]=0,7 or if [DELDIE]=1; 99=Unknown (only if [VIRAL]=9)
<b>43a</b>	<b>PDA</b>	Patent Ductus Arteriosus	Integer	{0, 1, 2, 7, 9}	0=No, 1=PDA meeting revised 2011 VON definition, 2=PDA diagnosis based on echo and/or clinical evidence or was treated for PDA, but not meeting all 2011 VON criteria, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>43b</b>	<b>INDOMETH</b>	Indomethacin For Any Reason	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>43c</b>	<b>IBUPROFEN</b>	Ibuprofen for Treatment or Prevention of PDA	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown.
<b>43d.</b>	<b>ACETAMIN</b>	Acetaminophen (Paracetamol) for prevention and treatment of PDA	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown.
<b>43e</b>	<b>PROSTAGLANDIN</b>	Prostaglandin for the Treatment of PDA	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [PDA]=0), 9=Unknown (always if [PDA]=9)
<b>43f</b>	<b>SRGPDA</b>	PDA Ligation or PDA Closure by Catheterization	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [PDA]=0), 9=Unknown (always if [PDA]=9),
<b>43g.</b>	<b>SRGPDAWTCHD</b>	PDA Surgery in conjunction with Repair or Palliation of Congenital Heart Disease	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [SRGPDA]=0), 9=Unknown (always if [SRGPDA]=9)
<b>44a</b>	<b>PROBIOTICS</b>	Probiotics	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>44b</b>	<b>NEC</b>	Necrotizing Enterocolitis	Integer	{0, 7, 9, 11, 12, 13}	0=No, 7=N/A (only if [DELDIE]=1), 9=Unknown, 11=Yes Here, 12=Yes Elsewhere, 13=Yes Here AND Elsewhere
<b>44c</b>	<b>SRGNEC</b>	Surgery: NEC Surgery	Integer	{0, 7, 9, 11, 12, 13}	0=No, 7=N/A (only if [DELDIE]=1 or [NEC]=0), 9=Unknown, 11=Yes Here, 12=Yes Elsewhere, 13=Yes Here AND Elsewhere

<b>45a</b>	<b>GIPERF</b>	Focal Intestinal Perforation	Integer	{0, 7, 9, 11, 12, 13}	0=No, 7=N/A (only if [DELDIE]=1), 9=Unknown, 11=Yes Here, 12=Yes Elsewhere, 13=Yes Here AND Elsewhere
<b>45b</b>	<b>GIPERF_SC</b>	Surgically Confirmed or Clinically Diagnosed Focal Intestinal Perforation	Integer	{1, 2, 7, 9}	1 =Surgically Confirmed, 2 = Clinically Diagnosed, 7=Not Applicable (if [DELDIE] =1 or [GIPERF] = 0), 9= Unknown (always if [GIPERF]=9)
<b>NOTE: Unless your NICU participates in the VON Expanded Database, the Retinopathy of Prematurity section (Items 46a. To 46d.) is only applicable for infants with a birth weight less than or equal to 1500 grams or less than or equal to 31 completed weeks of gestation.</b>					
<b>46a</b>	<b>EYEX</b>	Retinal Exam	Integer	{0, 1, 7, 9}	0=No,1=Yes, 7=N/A (only if [DELDIE]=1 OR ([BWGT]>1500 AND [GAWEEKS]>31)), 9=Unknown
<b>46b</b>	<b>ISTAGE</b>	Worst Stage of ROP	Integer	{0 - 5, 7, 9}	0=No evidence of ROP, 1=Presence of demarcation line (+/- abnormal vascularization), 2=Presence of intraretinal ridge, 3=Presence of a ridge with extraretinal fibrovascular proliferation, 4=Partial retinal detachment, 5=Total retinal detachment; 7=N/A (only if [DELDIE]=1 OR [EYEX] in {0,7}); 9=Unknown (always if [EYEX]=9)
<b>46c</b>	<b>VEGF</b>	Treatment of ROP with Anti-VEGF Drug	Integer	{0, 1, 7, 9}	0=No,1=Yes, 7=N/A (only if [DELDIE]=1 OR ([BWGT]>1500 AND [GAWEEKS]>31)), 9=Unknown
<b>46d</b>	<b>SRGROP</b>	Surgery: ROP	Integer	{0, 7, 9, 11, 12, 13}	0=No, 7=N/A (only if [DELDIE]=1 OR [EYEX] in {0,7} OR [ISTAGE]=0), 9=Unknown (always if [EYEX]=9 OR [ISTAGE]=9), 11=Yes Here, 12=Yes Elsewhere, 13=Yes Here AND Elsewhere
<b>47a</b>	<b>SRGOTH</b>	Other Surgery	Integer	{0, 1, 7, 9}	0=No,7=N/A (only if [DELDIE]=1), 1=Yes, 9=Unknown
<b>47b</b>	<b>SRGCD1</b>	First Other Surgery Code	Char6	{(Surgery Codes)B, (Surgery Codes)E, (Surgery Codes)H, 77, 99}	xxxxB,xxxxxB=Both Here AND Elsewhere; xxxxE,xxxxxE=Elsewhere; xxxxH,xxxxxH= Here; 77 = N/A (only if [SRGOTH] in {0,7} OR [DELDIE] =1); 99 = Unknown (always if [SRGOTH]=9).

<b>47b</b>	<b>SRGCD2</b>	Second Other Surgery Code	Char6	{(Surgery Codes)B, (Surgery Codes)E, (Surgery Codes)H, 77, 99}	xxxxB,xxxxxB=Both Here AND Elsewhere; xxxxE,xxxxxE=Elsewhere; xxxxH,xxxxxH= Here; 77 = N/A (only if [SRGOTH] in {0,7} OR [DELDIE]=1 OR No 2nd Surgery Code); 99 = Unknown (always if [SRGOTH]=9).
<b>47b</b>	<b>SRGCD3</b>	Third Other Surgery Code	Char6	{(Surgery Codes)B, (Surgery Codes)E, (Surgery Codes)H, 77, 99}	xxxxB,xxxxxB=Both Here AND Elsewhere; xxxxE,xxxxxE=Elsewhere; xxxxH,xxxxxH= Here; 77 = N/A (only if [SRGOTH] in {0,7} OR [DELDIE]=1 OR No 3rd Surgery Code); 99 = Unknown (always if [SRGOTH]=9).
<b>47b</b>	<b>SRGCD4</b>	Fourth Other Surgery Code	Char6	{(Surgery Codes)B, (Surgery Codes)E, (Surgery Codes)H, 77, 99}	xxxxB,xxxxxB=Both Here AND Elsewhere; xxxxE,xxxxxE=Elsewhere; xxxxH,xxxxxH= Here; 77 = N/A (only if [SRGOTH] in {0,7} OR [DELDIE]=1 OR No 4th Surgery Code); 99 = Unknown (always if [SRGOTH]=9).
<b>47b</b>	<b>SRGCD5</b>	Fifth Other Surgery Code	Char6	{(Surgery Codes)B, (Surgery Codes)E, (Surgery Codes)H, 77, 99}	xxxxB,xxxxxB=Both Here AND Elsewhere; xxxxE,xxxxxE=Elsewhere; xxxxH,xxxxxH= Here; 77 = N/A (only if [SRGOTH] in {0,7} OR [DELDIE]=1 OR No 5th Surgery Code); 99 = Unknown (always if [SRGOTH]=9).
<b>47b</b>	<b>SRGCD6</b>	Sixth Other Surgery Code	Char6	{(Surgery Codes)B, (Surgery Codes)E, (Surgery Codes)H, 77, 99}	xxxxB,xxxxxB=Both Here AND Elsewhere; xxxxE,xxxxxE=Elsewhere; xxxxH,xxxxxH= Here; 77 = N/A (only if [SRGOTH] in {0,7} OR [DELDIE]=1 OR No 6th Surgery Code); 99 = Unknown (always if [SRGOTH]=9).
<b>47b</b>	<b>SRGCD7</b>	Seventh Other Surgery Code	Char6	{(Surgery Codes)B, (Surgery Codes)E, (Surgery Codes)H, 77, 99}	xxxxB,xxxxxB=Both Here AND Elsewhere; xxxxE,xxxxxE=Elsewhere; xxxxH,xxxxxH= Here; 77 = N/A (only if [SRGOTH] in {0,7} OR [DELDIE]=1 OR No 7th Surgery Code); 99 = Unknown (always if [SRGOTH]=9).
<b>47b</b>	<b>SRGCD8</b>	Eighth Other Surgery Code	Char6	{(Surgery Codes)B, (Surgery Codes)E, (Surgery Codes)H, 77, 99}	xxxxB,xxxxxB=Both Here AND Elsewhere; xxxxE,xxxxxE=Elsewhere; xxxxH,xxxxxH= Here; 77 = N/A (only if [SRGOTH] in {0,7} OR [DELDIE]=1 OR No 8th Surgery Code); 99 = Unknown (always if [SRGOTH]=9).

<b>47b</b>	<b>SRGCD9</b>	Ninth Other Surgery Code	Char6	{(Surgery Codes)B, (Surgery Codes)E, (Surgery Codes)H, 77, 99}	xxxxB,xxxxxB=Both Here AND Elsewhere; xxxxE,xxxxxE=Elsewhere; xxxxH,xxxxH= Here; 77 = N/A (only if [SRGOTH] in {0,7} OR [DELDIE]=1 OR No 9th Surgery Code); 99 = Unknown (always if [SRGOTH]=9).
<b>47b</b>	<b>SRGCD10</b>	Tenth Other Surgery Code	Char6	{(Surgery Codes)B, (Surgery Codes)E, (Surgery Codes)H, 77, 99}	xxxxB,xxxxxB=Both Here AND Elsewhere; xxxxE,xxxxxE=Elsewhere; xxxxH,xxxxH= Here; 77 = N/A (only if [SRGOTH] in {0,7} OR [DELDIE]=1 OR No 10th Surgery Code); 99 = Unknown (always if [SRGOTH]=9).
<b>47b</b>	<b>SRGSSI1</b>	Surgical Site Infection at Your hospital for Surgery 1	Integer	{0,1,7,9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [SRGOTH] in {0,7} OR Surgery Code 1 Elsewhere OR Surgery Code 1 Here and Elsewhere), 9=Unknown (only if [SRGOTH]=9).
<b>47b</b>	<b>SRGSSI2</b>	Surgical Site Infection at Your hospital for Surgery 2	Integer	{0,1,7,9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [SRGOTH] in {0,7} OR Surgery Code 2 Elsewhere OR Surgery Code 2 Here and Elsewhere OR No 2nd Surgery Code), 9=Unknown (only if [SRGOTH]=9).
<b>47b</b>	<b>SRGSSI3</b>	Surgical Site Infection at Your hospital for Surgery 3	Integer	{0,1,7,9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [SRGOTH] in {0,7} OR Surgery Code 3 Elsewhere OR Surgery Code 3 Here and Elsewhere OR No 3rd Surgery Code), 9=Unknown (only if [SRGOTH]=9).
<b>47b</b>	<b>SRGSSI4</b>	Surgical Site Infection at Your hospital for Surgery 4	Integer	{0,1,7,9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [SRGOTH] in {0,7} OR Surgery Code 4 Elsewhere OR Surgery Code 4 Here and Elsewhere OR No 4th Surgery Code), 9=Unknown (only if [SRGOTH]=9).
<b>47b</b>	<b>SRGSSI5</b>	Surgical Site Infection at Your hospital for Surgery 5	Integer	{0,1,7,9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [SRGOTH] in {0,7} OR Surgery Code 5 Elsewhere OR Surgery Code 5 Here and Elsewhere OR No 5th Surgery Code), 9=Unknown (only if [SRGOTH]=9).

<b>47b</b>	<b>SRGSSI6</b>	Surgical Site Infection at Your hospital for Surgery 6	Integer	{0,1,7,9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [SRGOTH] in {0,7} OR Surgery Code 6 Elsewhere OR Surgery Code 6 Here and Elsewhere OR No 6th Surgery Code), 9=Unknown (only if [SRGOTH]=9).
<b>47b</b>	<b>SRGSSI7</b>	Surgical Site Infection at Your hospital for Surgery 7	Integer	{0,1,7,9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [SRGOTH] in {0,7} OR Surgery Code 7 Elsewhere OR Surgery Code 7 Here and Elsewhere OR No 7th Surgery Code), 9=Unknown (only if [SRGOTH]=9).
<b>47b</b>	<b>SRGSSI8</b>	Surgical Site Infection at Your hospital for Surgery 8	Integer	{0,1,7,9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [SRGOTH] in {0,7} OR Surgery Code 8 Elsewhere OR Surgery Code 8 Here and Elsewhere OR No 8th Surgery Code), 9=Unknown (only if [SRGOTH]=9).
<b>47b</b>	<b>SRGSSI9</b>	Surgical Site Infection at Your hospital for Surgery 9	Integer	{0,1,7,9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [SRGOTH] in {0,7} OR Surgery Code 9 Elsewhere OR Surgery Code 9 Here and Elsewhere OR No 9th Surgery Code), 9=Unknown (only if [SRGOTH]=9).
<b>47b</b>	<b>SRGSSI10</b>	Surgical Site Infection at Your hospital for Surgery 10	Integer	{0,1,7,9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [SRGOTH] in {0,7} OR Surgery Code 10 Elsewhere OR Surgery Code 10 Here and Elsewhere OR No 10th Surgery Code), 9=Unknown (only if [SRGOTH]=9).
<b>47b</b>	<b>SRGOTHDESC</b>	Other Surgery Description	Char255	{Description, 77, 99}	77=N/A (only if [SRGOTH] in {0,7} OR [DELDIE]=1 OR surgery code does not require description); 99=Unknown (always if [SRGOTH]=9); description of surgical procedure(s) if [SRGOTH]=1 and code for type of surgery in Appendix requires a description.
<b>POST-DELIVERY DIAGNOSES AND INTERVENTIONS -- NEUROLOGICAL</b>					
<b>48a</b>	<b>IMAGE28</b>	Imaging Done On or Before Day 28	Integer	{0, 1, 7, 9}	0=No, 7=N/A (only if [DELDIE]=1), 1=Yes, 9=Unknown

<b>48b</b>	<b>IGRADE</b>	Worst Grade of Hemorrhage	Integer	{0-4, 7, 9}	0 (no peri IVH) to 4, 7=N/A (only if [DELDIE]=1 or if [IMAGE28] in {0,7}), 9=Unknown (always if [IMAGE28]=9). Grade 0: No subependymal or intraventricular hemorrhage; Grade 1: Subependymal germinal matrix hemorrhage only; Grade 2: Intraventricular blood, no ventricular dilation; Grade 3: Intraventricular blood, ventricular dilation; Grade 4: Intraparenchymal hemorrhage.
<b>48c</b>	<b>PIHHEMLOC</b>	Periventricular-Intraventricular Hemorrhage (PIH), where first diagnosed	Integer	{7, 9, 11, 12}	11=Yes and First Here, 12=Yes and First Elsewhere, 7=N/A (only if [DELDIE]=1 OR [IMAGE28] in {0,7} OR [IGRADE] in {0,7}), 9=Unknown (always if [IMAGE28]=9 OR [IGRADE]=9).
<b>48d</b>	<b>SHUNT</b>	Shunt Placed for Bleed	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [IMAGE28] in {0,7} OR [IGRADE] in {0,7}), 9=unknown (always if [IMAGE28]=9 OR [IGRADE]=9).
<b>48e</b>	<b>OTHHEM</b>	Other Intracranial Hemorrhage Present	Integer	{0,1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [IMAGE28] in {0,7}), 9=Unknown (always if [IMAGE28]=9).
<b>48e</b>	<b>OTHHEMDESC</b>	Other Intracranial Hemorrhage Description	Char50	{Description, 77, 99}	Up to 50 alphanumeric characters (only if [OTHHEM]=1); 7=N/A (if [OTHHEM] in {0,7} OR [DELDIE]=1), 99=Unknown (always if [OTHHEM]=9).
<b>49a</b>	<b>PVLIMAG</b>	Neural Image Done at Any Time?	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1); 9=Unknown. Should always be 1 if [IMAGE28] is 1.
<b>49b</b>	<b>PVL</b>	Cystic Periventricular Leukomalacia	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [PVLIMAG]=0), 9=Unknown (always if [PVLIMAG]=9).
<b>49c</b>	<b>CEREBELLAR_HEM</b>	Cerebellar Hemorrhage	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [PVLIMAG]=0); 9=Unknown (always if [PVLIMAG]=9). Should always be 1 if [OTHHEM]=1 AND [OTHHEMDESC] = Cerebellar Hemorrhage.
<b>50</b>	<b>SEIZURE</b>	Seizures, EEG or Clinical	Integer	{0, 1, 7, 9}	0=No, 7=N/A (only if [DELDIE]=1), 1=Yes, 9=Unknown

<b>51</b>	<b>HIE</b>	Hypoxic-Ischemic Encephalopathy	Integer	{0, 3, 4, 5, 7, 9}	0=No; 3=Mild, 4=Moderate, 5=Severe, 7=N/A (only if [DELDIE]=1 OR [GAWEEKS]<35), 9=Unknown
<b>POST-DELIVERY DIAGNOSES AND INTERVENTIONS -- CONGENITAL MALFORMATIONS</b>					
<b>52a</b>	<b>CMAL</b>	Major Congenital Anomaly	Integer	{0, 1, 9}	0=No, 1=Yes, 9=Unknown
<b>NOTE: If [ACUTETRS]=1, then C.6b [T_BCD1 to T_BCD5] must = [BDCD1 to BDCD5] in the CPQCC Section. Submit this variable once by</b>					
<b>52b</b>	<b>BDCD1</b>	Congenital Anomaly Code 1	Integer	{congenital anomalies Table, 7777, 9999}	7777=N/A (only if [T_CMAL]=0 AND [CMAL]=0), 9999=Unknown (only if [CMAL]=9)
	<b>BDCD1FLAG</b>	Congenital Anomaly Code 1 Diagnosed Prenatally	Integer	{1, 0, 7, 9}	1=Yes, 0=No, 7=N/A (only if [ACUTETRS]=0 OR ([ACUTETRS]=1 AND [T_CMAL]=0)), 9=Unknown (only if [T_CMAL]=9).
<b>52b</b>	<b>BDCD2</b>	Congenital Anomaly Code 2	Integer	{congenital anomalies Table, 7777, 9999}	7777=N/A (only if [T_CMAL]=0 AND [CMAL]=0 OR No 2nd Birth Defect), 9999=Unknown (only if [CMAL]=9)
	<b>BDCD2FLAG</b>	Congenital Anomaly Code 2 Diagnosed Prenatally	Integer	{1, 0, 7, 9}	1=Yes, 0=No, 7=N/A (only if [ACUTETRS]=0 OR ([ACUTETRS]=1 AND [T_CMAL]=0) OR [BDCD2]=7777), 9=Unknown (only if [T_CMAL]=9).
<b>52b</b>	<b>BDCD3</b>	Congenital Anomaly Code 3	Integer	{congenital anomalies Table, 7777, 9999}	7777=N/A (only if [T_CMAL]=0 AND [CMAL]=0 OR No 3rd Birth Defect), 9999=Unknown (only if [CMAL]=9)
	<b>BDCD3FLAG</b>	Congenital Anomaly Code 3 Diagnosed Prenatally	Integer	{1, 0, 7, 9}	1=Yes, 0=No, 7=N/A (only if [ACUTETRS]=0 OR ([ACUTETRS]=1 AND [T_CMAL]=0) OR [BDCD3]=7777), 9=Unknown (only if [T_CMAL]=9).
<b>52b</b>	<b>BDCD4</b>	Congenital Anomaly Code 4	Integer	{congenital anomalies Table, 7777, 9999}	7777=N/A (only if [T_CMAL]=0 AND [CMAL]=0 OR No 4th Birth Defect), 9999=Unknown (only if [CMAL]=9)
	<b>BDCD4FLAG</b>	Congenital Anomaly Code 4 Diagnosed Prenatally	Integer	{1, 0, 7, 9}	1=Yes, 0=No, 7=N/A (only if [ACUTETRS]=0 OR ([ACUTETRS]=1 AND [T_CMAL]=0) OR [BDCD4]=7777), 9=Unknown (only if [T_CMAL]=9).
<b>52b</b>	<b>BDCD5</b>	Congenital Anomaly Code 5	Integer	{congenital anomalies Table, 7777, 9999}	7777=N/A (only if [T_CMAL]=0 AND [CMAL]=0 OR No 5th Birth Defect), 9999=Unknown (only if [CMAL]=9)
	<b>BDCD5FLAG</b>	Congenital Anomaly Code 5 Diagnosed Prenatally	Integer	{1, 0, 7, 9}	1=Yes, 0=No, 7=N/A (only if [ACUTETRS]=0 OR ([ACUTETRS]=1 AND [T_CMAL]=0) OR [BDCD5]=7777), 9=Unknown (only if [T_CMAL]=9).
<b>NOTE: If [ACUTETRS]=1, then C.6b [T_BDEFECT] must = [BDEFECT] in the CPQCC Section. Submit this variable once by only entering the data in the CPQCC Section.</b>					

<b>52b</b>	<b>BDEFECT</b>	Congenital Anomaly Description	Char255	{Description, 77, 99}	NOTE: This variable applies to any description regardless if diagnosed prenatally or post-natally. Up to 255 alphanumeric characters (necessary if codes 100, 150, 200, 300, 400, 504, 601, 605, 800, 900 were filled in for one or more of the 5 codes); 77=N/A (only if [T_CMAL]=0 AND [CMAL]=0); 99=Unknown (always if [CMAL]=9)
<b>POST-DELIVERY DIAGNOSES AND INTERVENTIONS -- HYPERBILIRUBINEMIA</b>					
<b>NOTE: Answer only for Outborn Infants Previously Discharged Home [PDH]=1</b>					
<b>53a</b>	<b>BILILEVEL</b>	TSB Level (15 to 45)	Integer	{1, 2, 3, 7, 9}	1=less than 25, 2=25 to less than 30, 3=greater than or equal to 30, 7=N/A (only if [DELDIE]=1 OR [LOCATE] in {0,2} OR [PDH]=0), 9=Not Done/ Unknown.
<b>53b</b>	<b>EXCHANGE</b>	Exchange Transfusion	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=N/A (only if [DELDIE]=1 OR [LOCATE] in {0,2} or [PDH]=0), 9=Unknown.
<b>53c</b>	<b>LASTHOSPITAL</b>	Last Hospital Prior to Discharge	Char6	{HCAI ID (formerly OSHPD) number, 777777, 999999}	Valid HCAI ID (formerly OSHPD) number (see list); 777777=N/A (only if [DELDIE]=1 OR [LOCATE] in {0,2} OR [PDH]=0), 999999=Unknown.
<b>LANGUAGE AND INTERPRETER</b>					

<b>54a</b>	<b>LANGUAGE</b>	Primary Caregiver's Preferred Language	Integer	{Language codes}	592 = English 593 = Arabic 594 = Armenian 595 = Cambodian/Khmer 596 = Cantonese 597 = Farsi/Persian 598 = Hmong/Miao 599 = Korean 600 = Mandarin 601 = Russian 602 = Spanish 603 = Tagalog 604 = Vietnamese 605 = Sign Language 725 = Japanese 726 = Hindi 727 = Mixteco 728 = Punjabi 729 = Thai 7777 = Not Applicable (only if [DELDIE]=1) 9998 = Other, DESCRIBE 9999 = Unknown
<b>54b</b>	<b>LANGUAGEDESC</b>	Primary Caregiver's Preferred Language, description for Other	Char6	Char64	Only if [LANGUAGE]=9998
<b>55</b>	<b>INTERPRETER</b>	Did the primary caregiver require interpreter services (either in-person or remote) during this hospitalization?	Integer	{1, 0, 7, 9}	1=Yes, 0=No, 7=N/A (always if [DELDIE]=1 or [LANGUAGE]=592), 9=Unknown (always if [LANGUAGE]=9999)
<b>INITIAL DISPOSITION</b>					
<b>56</b>	<b>ENTFEED</b>	Enteral Feeding at Discharge	Integer	{0, 1, 2, 3, 7, 9}	0=None, 1=Human Milk Only, 2=Formula Only, 3=Human Milk Fortified with Formula, 7=N/A (only if [DELDIE]=1), 9=Unknown
<b>57</b>	<b>FDISP</b>	Initial Disposition From Your Hospital	Integer	{1, 2, 3, 5, 7, 9}	1=Home, 2=Transported, 3=Died, 5=Still hospitalized as of first birthday, 7=N/A (only if [DELDIE]=1), 9=Unknown

<b>58</b>	<b>DWGT</b>	Initial Disposition Weight (in Grams)	Long Integer	{201-66665, 99999}	201-66665, 77777=Not Done or N/A (always if [DELDIE]=1), 99999=Unknown
<b>59</b>	<b>HEADCIRC</b>	Head Circumference at Initial Disposition (in cm to nearest 10th of a cm)	Double	{0.1-70.0, 777.7, 999.9}	0.1 TO 70.0, 777.7=Not done or N/A (always if [DELDIE]=1) 999.9=Unknown
<b>60</b>	<b>LOS1</b>	Initial Length of Stay	Integer	{1-366 or 367, 999}	1 to 366 (367 if leap day must be added), 777=N/A (only if [DELDIE]=1); 999=Unknown.
<b>TRANSFER</b>					
<b>61</b>	<b>TRANSCODE</b>	Reason for Transport	Integer	{0, 1, 2, 3, 4, 6, 10, 55, 77, 99}	0=ECMO, 10= Hypothermic Therapy, 3=Surgery, 2=Other Medical/Diagnostic services, 1=Growth/Discharge planning, 4=Chronic care, 6=Insurance, 55=Other Reason, 77=N/A (only if [DELDIE]=1 OR FDISP in {1,3,5}), 99=Unknown (always if [FDISP]=9)
<b>62</b>	<b>XFERLOCATION</b>	Transferred to a CPQCC Center	Char6	{HCAI ID (formerly OSHPD) number, 777777, 999999}	Valid HCAI ID (formerly OSHPD) number (see list); 777777=N/A (only if [DELDIE]=1 OR [FDISP] in {1,3,5}); 999999=Unknown (always if [FDISP]=9).
<b>63</b>	<b>F2DISP</b>	Post-Transfer Disposition	Integer	{1, 2, 3, 4, 5, 7, 9}	1=Home, 2=Transferred again to another hospital, 3=Died, 4=Readmitted to your hospital, 5=Still hospitalized as of first birthday, 7=N/A {only if [DELDIE]=1 OR [FDISP] in {1,3,5}); 9=Unknown (always if [FDISP]=9)

<b>64</b>	<b>F3WGT</b>	Weight at Disposition after Re-Admission	Long Integer	{201--66665, 77777, 99999}	201-66665 (if [F2DISP]=4), 77777=N/A (only if [F2DISP] in {1,2,3,5,7} OR [DELDIE]=1), 99999=Unknown (always if [F2DISP]=9 or [FDISP]=9)
<b>65</b>	<b>F3DISP</b>	Disposition after Re-Admission	Integer	{1, 2, 3, 5, 7, 9}	1=Home, 2=Transferred again to another hospital, 3=Died, 5=Still hospitalized as of first birthday, 7=N/A (only if [DELDIE]=1 OR [F2DISP] in {1,2,3,5,7}), 9=Unknown (always if [F2DISP]=9 OR [FDISP]=9)
<b>66</b>	<b>UDISP</b>	Ultimate Disposition of Infant	Integer	{1, 3, 5, 7, 9}	1=Home, 3=Died, 5=Still hospitalized as of first birthday, 7=N/A (only if [DELDIE]=1 OR [F2DISP] in {1,3,5,7} OR [F3DISP] in {1,3,5,7}); 9 (always if [FDISP]=9 OR [F2DISP]=9 OR [F3DISP]=9).
<b>67</b>	<b>LOSTOT</b>	Total Length of Stay	Integer	{1-366 or 367,777, 999}	367 for leap years, 777=N/A (if [DELDIE]=1 OR [FDISP] in {1,3,5}), 999=Unknown (always if [FDISP]=9).
<b>2026 OPTIONAL ITEMS</b>					
<b>DRO2.1</b>	<b>DRSAO2</b>	Mean Oxygen Saturation (SaO <sub>2</sub> ) at 5 Minutes	Integer	{0-100, 777, 999}	0-100, 777=N/A if ([bwgt] > 1500 AND [gaweeks] > 31) OR [locate] = 1, 999=Unknown <b>Leave empty if your NICU is not participating in the DR O<sub>2</sub> Qi project.</b>
<b>DRO2.2</b>	<b>DRFIO2</b>	Inspired Oxygen Concentration (FiO <sub>2</sub> ) at 5 Minutes	Integer	{21-100, 777, 999}	21-100, 777=N/A if ([bwgt] > 1500 AND [gaweeks] > 31) OR [locate] = 1, 999=Unknown <b>Leave empty if your NICU is not participating in the DR O<sub>2</sub> Qi project.</b>

FCC.1 / MOMMS.2	FCCSKIN	Days from Hospital Admission/NICU Admission to First Skin-to-Skin Care at Your Hospital	Integer	{1-367, 0, 777, 999, 7777, 9999}	<p>0=First Skin-to-Skin prior to NICU admission (big babies only!), 1-366 (367 for leap years), 777= skin-to-skin was never used at your hospital or if [DELDIE]=1, 999= Unknown</p> <p><b>MOMMS/MOMMS+ Participants Only:</b>  7777=Not Applicable only if [DELDIE]=1 OR (not MOMMS+ AND [BWGT]&gt;1500 AND [GAWEEKS]&gt;31) OR [DAYADMISS]&gt;3 OR [BDATE]&lt;01JUN2024 OR [MOMMS_HIV]=1 OR [MOMMS_MTX]=1 OR [MOMMS_GALACTOSEMIA]=1 OR [MOMMS_HTLV]=1 OR [MOMMS_MEDS]=1 OR [MOMMS_ADOPT]=1.  Note that if [DELDIE]=1 this item can be coded as 777 or 7777.</p> <p>Leave empty if your NICU is not participating in the FCC or MOMMS/MOMMS+ projects.</p>
FCC.2	FCCSWRK	Days from Hospital Admission/NICU Admission to First Social Worker Contact at Your Hospital	Integer	{1-367, 0, 777, 999}	<p>0=First social worker contact prior to NICU admission (big babies only!), 1-366 (367 for leap years), 777=no social worker contact ever at your hospital OR if [DELDIE]=1, 999= Unknown</p> <p>Leave empty if your NICU is not participating in the FCC project.</p>

<b>FCC.3 / MOMMS.3</b>	<b>FCCTCOL</b>	Hours from Birth to Administering Oral Colostrum at Your Hospital	Integer	{0-480, 777, 999, 7777, 9999}	0-480, 777=if oral colostrum was never administered at your hospital or [DELDIE]=1, 999=Unknown, <b>MOMMS/MOMMS+ Participants Only:</b> 7777=Not Applicable only if [DELDIE]=1 OR (not MOMMS+ AND [BWGT]>1500 AND [GAWEEKS]>31) OR [DAYADMISS]>3 OR [BDATE]<01JUN2024 OR [MOMMS_HIV]=1 OR [MOMMS_MTX]=1 OR [MOMMS_GALACTOSEMIA]=1 OR [MOMMS_HTLV]=1 OR [MOMMS_MEDS]=1 OR [MOMMS_ADOPT]=1, Note that if [DELDIE]=1 this item can be coded as 777 or 7777. <b>Leave empty if your NICU is not participating in the FCC or MOMMS/MOMMS+ projects.</b>
<b>FCC.4</b>	<b>FCCCOMMENT</b>	Any comments regarding the FCC items	Char256		<b>Leave empty if your NICU is not participating in the FCC or MOMMS/MOMMS+ projects or if you have no comments.</b>
<b>27c</b>	<b>VENTTTLDAYS</b>	Total duration of intubated assisted ventilation including all episodes at your NICU	Long Integer	{1-366 OR 367, 7777, 9999}	1 - 366 (367 for leap years), 1=Less than 24 Hours , 2= 24 Hours to under 48 Hours, ETC. 7777=N/A (if only one episode of intubated assisted ventilation OR ([BWGT]>1500 AND [GAWEEKS]>31) OR [DURVENT] IN (0,7) OR [DELDIE]=1), 9999=Unknown (always if [DURVENT]=9) <b>Leave empty if your NICU is not submitting this optional item.</b>
<b>MOMMS.1 HIV</b>	<b>MOMMS_HIV</b>	HIV exclusion	Integer	{0, 1, 7}	0=No, 1=Yes, 7=Not Applicable if [DELDIE]=1 OR (not MOMMS+ AND [BWGT]>1500 AND [GAWEEKS]>31) OR [DAYADMISS]>3 OR [BDATE]<01JUN2024. <b>Leave empty if your NICU is not participating in the MOMMS/MOMMS+ project.</b>

<b>MOMMS.1 Substance Use</b>	<b>MOMMS_MTX</b>	Maternal substance use disorder exclusion	Integer	{0, 1, 7}	0=No, 1=Yes, 7=Not Applicable if [DELDIE]=1 OR (not MOMMS+ AND [BWGT]>1500 AND [GAWEEKS]>31) OR [DAYADMISS]>3 OR [BDATE]<01JUN2024. Leave empty if your NICU is not participating in the MOMMS/MOMMS+ project.
<b>MOMMS.1 Galactosemia</b>	<b>MOMMS_GALACTOSEMIA</b>	Galactosemia exclusion	Integer	{0, 1, 7}	0=No, 1=Yes, 7=Not Applicable if [DELDIE]=1 OR (not MOMMS+ AND [BWGT]>1500 AND [GAWEEKS]>31) OR [DAYADMISS]>3 OR [BDATE]<01JUN2024. Leave empty if your NICU is not participating in the MOMMS/MOMMS+ project.
<b>MOMMS.1 HTLV</b>	<b>MOMMS_HTLV</b>	HTLV 1/2 infection exclusion	Integer	{0, 1, 7}	0=No, 1=Yes, 7=Not Applicable if [DELDIE]=1 OR (not MOMMS+ AND [BWGT]>1500 AND [GAWEEKS]>31) OR [DAYADMISS]>3 OR [BDATE]<01JUN2024. Leave empty if your NICU is not participating in the MOMMS/MOMMS+ project.
<b>MOMMS.1 Meds</b>	<b>MOMMS_MEDS</b>	Medication exclusion	Integer	{0, 1, 7}	0=No, 1=Yes, 7=Not Applicable if [DELDIE]=1 OR (not MOMMS+ AND [BWGT]>1500 AND [GAWEEKS]>31) OR [DAYADMISS]>3 OR [BDATE]<01JUN2024. Leave empty if your NICU is not participating in the MOMMS/MOMMS+ project.
<b>MOMMS.1 Adoption</b>	<b>MOMMS_ADOPT</b>	Adoption exclusion	Integer	{0, 1, 7}	0=No, 1=Yes, 7=Not Applicable if [DELDIE]=1 OR (not MOMMS+ AND [BWGT]>1500 AND [GAWEEKS]>31) OR [DAYADMISS]>3 OR [BDATE]<01JUN2024. Leave empty if your NICU is not participating in the MOMMS/MOMMS+ project.

<b>MOMMS.4</b>	<b>MOMMS_LTO1</b>	Maternal Milk LTO Check-In at Age 1-2 Weeks	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=Not Applicable if [DELDIE]=1 OR (not MOMMS+ AND [BWGT]>1500 AND [GAWEEKS]>31) OR [DAYADMISS]>3 OR [BDATE]<01JUN2024 OR [MOMMS_HIV]=1 OR [MOMMS_MTX]=1 OR [MOMMS_GALACTOSEMIA]=1 OR [MOMMS_HTLV]=1 OR [MOMMS_MEDS]=1 OR [MOMMS_ADOPT]=1, 9=Unknown. Leave empty if your NICU is not participating in the MOMMS/MOMMS+ project.
<b>MOMMS.5</b>	<b>MOMMS_LTO2</b>	Maternal Milk LTO Check-In at PMA 32-34 Weeks	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=Not Applicable if [DELDIE]=1 OR (DOL@discharge <= 14 days AND PMA@discharge < 32 weeks) OR (not MOMMS+ AND [BWGT]>1500 AND [GAWEEKS]>31) OR [GAWEEKS] > 30 OR [DAYADMISS]>3 OR [BDATE]<01JUN2024 OR [MOMMS_HIV]=1 OR [MOMMS_MTX]=1 OR [MOMMS_GALACTOSEMIA]=1 OR [MOMMS_HTLV]=1 OR [MOMMS_MEDS]=1 OR [MOMMS_ADOPT]=1, 9=Unknown. Leave empty if your NICU is not participating in the MOMMS/MOMMS+ project.
<b>MOMMS.6</b>	<b>MOMMS_LTO3</b>	Maternal Milk LTO Check-In within 2 Weeks Prior Discharge	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=Not Applicable if [DELDIE]=1 OR (not MOMMS+ AND [BWGT]>1500 AND [GAWEEKS]>31) OR [GAWEEKS] <= 30 OR DOL@discharge <= 14 days OR OR [DAYADMISS]>3 OR [BDATE]<01JUN2024 OR [MOMMS_HIV]=1 OR [MOMMS_MTX]=1 OR [MOMMS_GALACTOSEMIA]=1 OR [MOMMS_HTLV]=1 OR [MOMMS_MEDS]=1 OR [MOMMS_ADOPT]=1, 9=Unknown. Leave empty if your NICU is not participating in the MOMMS/MOMMS+ project.

<b>MOMMS.7</b>	<b>MOMMS_BMVOL</b>	Maximum Breastmilk Volume in 24 hours by 2 Weeks	Long Integer	{0-2000, 7777, 9999}	0-2000, 7777=Not Applicable if Mom chose to not breastfeed OR [DELDIE]=1 OR (not MOMMS+ AND [BWGT]>1500 AND [GAWEEKS]>31) OR [DAYADMISS]>3 OR [BDATE]<01JUN2024 OR [MOMMS_HIV]=1 OR [MOMMS_MTX]=1 OR [MOMMS_GALACTOSEMIA]=1 OR [MOMMS_HTLV]=1 OR [MOMMS_MEDS]=1 OR [MOMMS_ADOPT]=1, 9999=Unknown. <b>Leave empty if your NICU is not participating in the MOMMS/MOMMS+ project.</b>
<b>MOMMS.8</b>	<b>MOMMS_BFDIS</b>	Breastfed within 24 Hours prior to Discharge	Integer	{0, 1, 7, 9}	0=No, 1=Yes, 7=Not Applicable if [DELDIE]=1 OR (not MOMMS+ AND [BWGT]>1500 AND [GAWEEKS]>31) OR [DAYADMISS]>3 OR [BDATE]<01JUN2024 OR [MOMMS_HIV]=1 OR [MOMMS_MTX]=1 OR [MOMMS_GALACTOSEMIA]=1 OR [MOMMS_HTLV]=1 OR [MOMMS_MEDS]=1 OR [MOMMS_ADOPT]=1, 9=Unknown (always if ([LOS1]=999 AND ([FDISP] IN {1,3,5,9} OR ([FDISP]=2 AND [F2DISP] IN {1,2,3,5,9})))) OR ([LOSTOT]=999 AND [FDISP]=2 AND [F2DISP]=4)). This field is ignored if ([LOS1]=NULL AND ([FDISP] IN {1,3,5,9} OR ([FDISP]=2 AND [F2DISP] IN {1,2,3,5,9})))) OR ([LOSTOT]=NULL AND [FDISP]=2 AND [F2DISP]=4)). <b>Leave empty if your NICU is not participating in the MOMMS/MOMMS+ project.</b>

**Appendix G. Section II. 2026 EDS Specifications for the CPeTS Database: Summary of Codes for Transport Special Situations**

<b>NOTE: ITEMS REMOVED FROM CPeTS are highlighted in Gray.</b>						
2026 Item	Field Name	Description	Situation A: Requested Delivery Attendance	Situation B: Transport by Referring Center (Self- Transport)	Situation C: Transport from Emergency Department or other non- perinatal setting	Situation D: Safe Surrender
None	<b>T_SPECIALSITUATION</b>	Transport Special Situation	1000=Situation A; NOTE: Situation A CANNOT occur with any of the other three Special Situations	0100= Situation B only; 0110= Situation B and Situation C; 0101= Situation B and Situation D; 0111= Situation B, Situation C, and Situation D	0010= Situation C only; 0110= Situation B and Situation C; 0011= Situation C and Situation D; 0111= Situation B, Situation C, and Situation D	0001= Situation D only; 0101= Situation B and Situation D; 0011= Situation C and Situation D; 0111= Situation B, Situation C, and Situation D
C.1	<b>T_TYPE</b>	Transport Type	1=Requested Delivery	enter data	enter data	enter data
C.1	<b>T_TYPEDESC</b>	Type Describe	enter data	enter data	enter data	enter data
C.2	<b>T_TRANSCODE</b>	Indication for Transport	enter data	enter data	enter data	enter data
C.14	<b>T_REFDATETIME</b>	Date/Time of Referral	enter data	enter data	enter data	enter data
C.15	<b>T_ACCDATETIME</b>	Date/Time of Acceptance	enter data	enter data	enter data	enter data
C.10	<b>T_MADMDATETIME</b>	Date/Time of mother's admission to L&D	enter data	enter data	N/A	N/A
C.11	<b>T_BDATETIME</b>	Date/Time of birth	enter data	enter data	Submit Date of Birth; N/A=Time of Birth ONLY	Submit Date of Birth; N/A=Time of Birth ONLY
C.3	<b>T_BWGT</b>	Birthweight	enter data	enter data	Enter current weight	Enter current weight
C.4/ (AD3a, 3b)	<b>GAWEEKS, GADAYS</b>	Best estimate of gestational age -- weeks, days	enter data	enter data	enter data	enter data
C.5/ (AD5)	<b>SEX</b>	Sex of infant	enter data	enter data	enter data	enter data
C.6a	<b>T_CMAL</b>	Major Birth Defect Diagnosed Prenatally	enter data	enter data	N/A	N/A
C.6b	<b>T_BDCD1 to T_BDCD5</b>	Birth Defect Code 1 to 5	enter data	enter data	N/A	N/A

C.7a	<b>MDATE</b>	Mother's Date of Birth	enter data	enter data	N/A	N/A
C.8a	<b>ASTER</b>	Antenatal Steroids	enter data	enter data	N/A	N/A
C.8b	<b>ANCMAMAGSULF</b>	Antenatal Conditions, Magnesium - Antenatal	enter data	enter data	N/A	N/A
C.9a	<b>DRSURF</b>	Surfactant in the Delivery Room	enter data	enter data	enter data	N/A
C.9b	<b>T_SURFX</b>	Surfactant Given at any time	enter data	enter data	enter data	N/A
C.12	<b>T_mftranscon</b>	Maternal Fetal Transport Consideration	enter data	enter data	N/A	N/A
C.13	<b>T_SURFXDATETIME</b>	Date/Time of Surfactant administration	enter data	enter data	enter data	enter data
C.18	<b>T_EVALINITDATETIME</b>	Date/Time of Initial Evaluation by Transfer Team	enter data	N/A	enter data	enter data
C.19	<b>T_EVALNICUDATETIME</b>	Date/Time of NICU Admission	enter data	enter data	enter data	enter data
C.20	<b>T_RESP1</b>	at Referral	N/A	enter data	enter data	enter data
	<b>T_RESP2</b>	at Initial Evaluation	enter data	N/A	enter data	enter data
	<b>T_RESP3</b>	at NICU Admission	enter data	enter data	enter data	enter data
C.23	<b>T_RESPRATE1</b>	at Referral	N/A	enter data	enter data	enter data
	<b>T_RESPRATE2</b>	at Initial Evaluation	enter data	N/A	enter data	enter data
	<b>T_RESPRATE3</b>	at NICU Admission	enter data	enter data	enter data	enter data
C.24	<b>T_SAO21</b>	at Referral	N/A	enter data	enter data	enter data
	<b>T_SAO22</b>	at Initial Evaluation	enter data	N/A	enter data	enter data
	<b>T_SAO23</b>	at NICU Admission	enter data	enter data	enter data	enter data
C.25	<b>T_RESPSTATUS1</b>	at Referral	N/A	enter data	enter data	enter data
	<b>T_RESPSTATUS2</b>	at Initial Evaluation	enter data	N/A	enter data	enter data
	<b>T_RESPSTATUS3</b>	at NICU Admission	enter data	enter data	enter data	enter data
C.26	<b>T_FIO21</b>	at Referral	N/A	enter data	enter data	enter data
	<b>T_FIO22</b>	at Initial Evaluation	enter data	N/A	enter data	enter data
	<b>T_FIO23</b>	at NICU Admission	enter data	enter data	enter data	enter data
C.22	<b>T_HEARTRATE1</b>	at Referral	N/A	enter data	enter data	enter data
	<b>T_HEARTRATE2</b>	at Initial Evaluation	enter data	N/A	enter data	enter data
	<b>T_HEARTRATE3</b>	at NICU Admission	enter data	enter data	enter data	enter data
C.28a	<b>T_BPSYS1</b>	at Referral	N/A	enter data	enter data	enter data
	<b>T_BPSYS2</b>	at Initial Evaluation	enter data	N/A	enter data	enter data

	T_BPSYS3	at NICU Admission	enter data	enter data	enter data	enter data
C.28b	T_BPDIA1	at Referral	N/A	enter data	enter data	enter data
	T_BPDIA2	at Initial Evaluation	enter data	N/A	enter data	enter data

	<b>T_BPDI3</b>	at NICU Admission	enter data	enter data	enter data	enter data
C.28c	<b>T_BPMEAN1</b>	at Referral	N/A	enter data	enter data	enter data
	<b>T_BPMEAN2</b>	at Initial Evaluation	enter data	N/A	enter data	enter data
	<b>T_BPMEAN3</b>	at NICU Admission	enter data	enter data	enter data	enter data
C.29	<b>T_PRESSOR1</b>	at Referral	N/A	enter data	enter data	enter data
	<b>T_PRESSOR2</b>	at Initial Evaluation	enter data	N/A	enter data	enter data
	<b>T_PRESSOR3</b>	at NICU Admission	enter data	enter data	enter data	enter data
C.21.a	<b>T_COOLING1</b>	at Referral	N/A	enter data	enter data	enter data
	<b>T_COOLING2</b>	at Initial Evaluation	enter data	N/A	enter data	enter data
	<b>T_COOLING3</b>	at NICU Admission	enter data	enter data	enter data	enter data
C.21.b	<b>T_COOLINGMETHOD1</b>	at Referral	N/A	enter data	enter data	enter data
	<b>T_COOLINGMETHOD2</b>	at Initial Evaluation	enter data	N/A	enter data	enter data
	<b>T_COOLINGMETHOD3</b>	at NICU Admission	enter data	enter data	enter data	enter data
C.21.c	<b>T_TEMP1</b>	at Referral	N/A	enter data	enter data	enter data
	<b>T_TEMP2</b>	at Initial Evaluation	enter data	N/A	enter data	enter data
	<b>T_TEMP3</b>	at NICU Admission	enter data	enter data	enter data	enter data
C.27	<b>T_VENTMODE1</b>	at Referral	N/A	enter data	enter data	enter data
	<b>T_VENTMODE2</b>	at Initial Evaluation	enter data	N/A	enter data	enter data
	<b>T_VENTMODE3</b>	at NICU Admission	enter data	enter data	enter data	enter data
C.30	<b>T_REFERRINGHOSPITAL</b>	Referring Hospital	enter data	enter data	enter data	enter data
C.31a	<b>T_FIRSTTRANS</b>	Is this the first transfer for this infant?	enter data	enter data	enter data	enter data
C.31b	<b>T_PREVHOSPITAL</b>	Previously Transfer Referring Hospital	enter data	enter data	enter data	enter data
C.32	<b>BIRTHLOCATION</b>	Hospital of Birth	enter data	enter data	enter data	900099= Safe Surrender
C.33	<b>T_TEAMLEADER</b>	Team Leader	enter data	enter data	enter data	enter data
C.34a	<b>T_TEAMBASE</b>	Team Base	enter data	3= Referring Hospital	enter data	enter data

C.34b	T_TEAMBASECS	Contract Service used	enter data	enter data	enter data	enter data
C.35	T_TRANSMODE	Mode of Transport	enter data	enter data	enter data	enter data
C.16	T_TTDEPDATE	Date/Time of transport team departure for referring hospital	enter data	N/A	enter data	enter data
C.17	T_TTARRDATE	Date/Time of transport team arrival at referring hospital	enter data	N/A	enter data	enter data
C.35	T_USERCOMMENT	User Comment Box	enter data [optional]	enter data [optional]	enter data [optional]	enter data [optional]